

<NA>

4221 N 2ND ST  
PHILADELPHIA, PA

### 4 Inspection Visits Since 2023 - 4 Findings

Most recent inspection: Nov 7, 2025

● 4 Important

Across 4 inspections since 2023, the issues cited most often were Training Regarding plan/Exp, Educ., Training Prior to Facili; 2025-11-07 (2), No Physical Punishment (1), and Staff Evaluations; 2023-12-08 (1). None of the 4 findings were critical.

### Inspection Visits

**Nov 7, 2025** 1 Finding ● 1 Important

● **Training Regarding plan/Exp, Educ., Training Prior to Facili; 2025-11-07**

3270.27(c)/3270.192(2)(ii)

3270.66(a) | Locked or inaccessible; 2025-11-07 | 3270.69(b) | 110° F or less; 2025-11-07 | 3270.106(f) | 2 feet apart; 2025-11-07 | 3270.192(1)/3270.192(5) | Name, address, and phone/Two written references; 2025-11-07 | 3270.171(a) | Pick-up and drop-off points

**Apr 9, 2025** 1 Finding ● 1 Important

● **No Physical Punishment**

3270.113(b)

**Dec 4, 2024** 1 Finding ● 1 Important

#### About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Training Regarding Plan; 2024-12-04**

3270.27(c)

3270.31(e)(4)(i) | Age and Training; 2024-12-04 | 3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2024-12-04 | 3270.32(a) | Comply with CPSL; 2024-12-04 | 3270.36(b)(5) | HS/GED + 2 yrs; 2024-12-04 | 3270.66(a) | Locked or inaccessible; 2024-12-04 | 3270.69(b) | 110° F or less; 2024-12-04 | 3270.75(b) | Inaccessible to children; 2024-12-04 | 3270.76 | Building Surfaces; 2024-12-04 | 3270.77(a) | No peeling paint or plaster; 2024-12-04 | 3270.123(a)(1)/3270.123(a)(2) | Amount of fee/Date fee to be paid; 2024-12-04 | 3270.124(b)(2) | Physician name, address, phone; 2024-12-04 | 3270.124(b)(6) | Insurance coverage information; 2024-12-04 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2024-12-04 | 3270.191 | Individual Records; 2024-12-04 | 3270.192(3) | Health assessment, TB test; 2024-12-04 | 3270.192(5) | Two written references; 2024-12-04 | 3270.27(a)(6) | Emergency plan

**Dec 8, 2023** 1 Finding ● 1 Important

● **Staff Evaluations; 2023-12-08**

3270.34(a)(6)

3270.66(a) | Locked or inaccessible; 2023-12-08 | 3270.69(b) | 110° F or less; 2023-12-08 | 3270.75(c) | Has all items; 2023-12-08 | 3270.77(a) | No peeling paint or plaster; 2023-12-08 | 3270.82(g) | Clean and good repair; 2023-12-08 | 3270.82(h) | Handwashing signs; 2023-12-08 | 3270.123(a)(1)/3270.123(a)(2) | Amount of fee/Date fee to be paid; 2023-12-08 | 3270.123(a)(3) | Services proceeded; 2023-12-08 | 3270.124(b)(2) | Physician name, address, phone; 2023-12-08 | 3270.124(b)(3) | Parent home/work address, phone; 2023-12-08 | 3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy; 2023-12-08 | 3270.192(2)(iv) | Transcript, diploma and letters; 2023-12-08 | 3270.192(4) | CPSL information; 2023-12-08 | 3270.31(e) | Age and Training

**About this report**

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.