

<NA>

88 FOX LANE RD
WAYMART, PA

4 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Feb 3, 2026

● 5 Important

Across 4 inspections since 2024, the issues cited most often were Building Surfaces (1), Fire Safety - 1 Yr.; 2025-07-14 (1), and Running Water/ Safe Drinking Water (1). None of the 5 findings were critical.

Inspection Visits

Feb 3, 2026 1 Finding ● 1 Important

● **Building Surfaces**
3270.76

Jul 14, 2025 1 Finding ● 1 Important

● **Fire Safety - 1 Yr.; 2025-07-14**
3270.31(e)(4)(ii)
3270.31(f) | Health and Safety Training; 2025-07-14 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information;
2025-07-14 | 3270.102(a) | Clean and good repair

Apr 7, 2025 2 Findings ● 2 Important

● **Running Water/ Safe Drinking Water**
3270.69(a)

● **Devices Must Be compliant/Director or Designated Staff Perso**
3270.95(a)/3270.95(b)

Jul 15, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Clean and Good Repair; 2024-07-15**

3270.102(a)

3270.124(b)(3) | Parent home/work address, phone; 2024-07-15 | 3270.124(b)(7) | Name/address/phone release person; 2024-07-15 | 3270.131(b)(1) | Infant: updated health report every 6 months; 2024-07-15 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.