

<NA>

2630 PITCAIRN RD
MONROEVILLE, PA

5 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Feb 4, 2026

● 5 Important

Across 5 inspections since 2024, the issues cited most often were Age and Training; 2026-02-04 (2), Comply with CPSL/Exp, Educ., Training at Facility (1), and Physical Examination; 2025-09-05 (1). None of the 5 findings were critical.

Inspection Visits

Feb 4, 2026 1 Finding ● 1 Important

● **Age and Training; 2026-02-04**

3270.31(e)(4)(i)

3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2026-02-04 | 3270.32(a) | Comply with CPSL; 2026-02-04 | 3270.76 | Building Surfaces; 2026-02-04 | 3270.103/3270.104(a) | Small Toys and Objects/Clean, good repair, proper size; 2026-02-04 | 3270.151(a) | 12 months prior to service and every 24 months thereafter

Nov 13, 2025 1 Finding ● 1 Important

● **Comply with CPSL/Exp, Educ., Training at Facility**

3270.32(a)/3270.192(2)(iii)

Sep 5, 2025 1 Finding ● 1 Important

● **Physical Examination; 2025-09-05**

3270.151(c)(1)

3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Feb 3, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Age and Training; 2025-02-03**

3270.31(e)(4)(i)

3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2025-02-03 | 3270.32(a) | Comply with CPSL; 2025-02-03 |

3270.32(a)/3270.192(2)(iii) | Comply with CPSL/Exp, educ., training at facility; 2025-02-03 | 3270.76 | Building Surfaces; 2025-02-03 | 3270.103 | Small Toys and Objects; 2025-02-03 | 3270.151(a) | 12 months prior to service and every 24 months thereafter

Feb 8, 2024 1 Finding ● 1 Important

● **General Health and Safety; 2024-02-08**

3270.21

3270.31(e)(4)(i) | Age and Training; 2024-02-08 | 3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2024-02-08 | 3270.31(f) | Health and Safety Training; 2024-02-08 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-02-08 | 3270.32(a)/3270.192(2)(iii) | Comply with CPSL/Exp, educ., training at facility; 2024-02-08 | 3270.34(a)(6) | Staff evaluations; 2024-02-08 | 3270.91(a) | Stairs, exits, etc. unobstructed; 2024-02-08 | 3270.102(a) | Clean and good repair; 2024-02-08 | 3270.115(a)(2) | In-ground pool accessible requires fenced/locked gate; 2024-02-08 | 3270.124(b)(2) | Physician name, address, phone; 2024-02-08 | 3270.124(b)(6) | Insurance coverage information; 2024-02-08 | 3270.124(b)(7) | Name/address/phone release person; 2024-02-08 | 3270.124(c) | Each child care space; 2024-02-08 | 3270.151(a) | 12 months prior to service and every 24 months thereafter; 2024-02-08 | 3270.27(f) | Emergency plan

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.