

<NA>

110 CLAY PIKE
IRWIN, PA

3 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Jun 24, 2025

● 3 Important

Across 3 inspections since 2023, the issues cited most often were Locked or Inaccessible; 2025-06-24 (1), Each Staff Person Meets quals/Exp, Educ., Training Prior to ; 2024-09-09 (1), and Pertinent Laws & Regulations/General Health and Safety; 2023-09-11 (1). None of the 3 findings were critical.

Inspection Visits

Jun 24, 2025 1 Finding ● 1 Important

● **Locked or Inaccessible; 2025-06-24**

3270.66(a)

3270.66(b) | Original container; 2025-06-24 | 3270.75(b) | Inaccessible to children; 2025-06-24 | 3270.102(a) | Clean and good repair; 2025-06-24 | 3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy; 2025-06-24 | 3270.133(6) | Written consent; 2025-06-24 | 3270.151(a) | 12 months prior to service and every 24 months thereafter; 2025-06-24 | 3270.161(d) | Potentially hazardous food refrigerated; 2025-06-24 | 3270.166(4) | Bottles labeled

Sep 9, 2024 1 Finding ● 1 Important

● **Each Staff Person Meets quals/Exp, Educ., Training Prior to ; 2024-09-09**

3270.33(a)/3270.192(2)(ii)

3270.37(c) | Aides supervised all times; 2024-09-09 | 3270.75(b) | Inaccessible to children; 2024-09-09 | 3270.76 | Building Surfaces; 2024-09-09 | 3270.102(a) | Clean and good repair; 2024-09-09 | 3270.107 | Refrigerator; 2024-09-09 | 3270.111(b) | Posted in group space; 2024-09-09 | 3270.133(2) | Written instructions; 2024-09-09 | 3270.133(4) | Locked; 2024-09-09 | 3270.135(a)(3) | Disposable diapers; 2024-09-09 | 3270.27(a)(5) | Emergency plan

Sep 11, 2023 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Pertinent Laws & Regulations/General Health and Safety; 2023-09-11**

3270.14/3270.21

3270.32(a) | Comply with CPSL; 2023-09-11 | 3270.69(b) | 110° F or less; 2023-09-11 | 3270.76 | Building Surfaces; 2023-09-11 | 3270.107 | Refrigerator; 2023-09-11 | 3270.124(b)(3) | Parent home/work address, phone; 2023-09-11 | 3270.135(a)(3) | Disposable diapers; 2023-09-11 | 3270.94(a)(1) | Every 60 days; 2023-09-11 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.