

<NA>

1801 OBERLIN RD
MIDDLETOWN, PA

5 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Apr 16, 2026

● 5 Important

Across 5 inspections since 2024, the issues cited most often were Age and Training; 2026-04-16 (1), Pertinent Laws & Regulations/General Health and Safety; 2025-04-30 (1), and Running Water/ Safe Drinking Water (1). None of the 5 findings were critical.

Inspection Visits

Apr 16, 2026 1 Finding ● 1 Important

● **Age and Training; 2026-04-16**

3270.31(e)(4)(i)

3270.32(a) | Comply with CPSL; 2026-04-16 | 3270.61(e)/3270.62(c) | Halls, etc. not included/Space safe for large muscle activit; 2026-04-16 | 3270.66(a) | Locked or inaccessible; 2026-04-16 | 3270.66(b) | Original container; 2026-04-16 | 3270.76 | Building Surfaces; 2026-04-16 | 3270.82(i) | Lidded waste receptacles; 2026-04-16 | 3270.102(c) | Outdoor equip.- protective surfacing; 2026-04-16 | 3270.135(a)(3) | Disposable diapers; 2026-04-16 | 3270.151(a) | 12 months prior to service and every 24 months thereafter; 2026-04-16 | 3270.31(f)(10) | Health and Safety Training - Pediatric First Aid and CPR; 2026-04-16 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Apr 30, 2025 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2025-04-30**

3270.14/3270.21

3270.27(e) | Letter to parents; 2025-04-30 | 3270.31(e)(4)(i) | Age and Training; 2025-04-30 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-04-30 | 3270.37(b)(1)/3270.192(2)(iv) | HS/GED/Transcript, diploma and letters; 2025-04-30 | 3270.69(b) | 110° F or less; 2025-04-30 | 3270.75(c) | Has all items; 2025-04-30 | 3270.123(a)(3) | Services proceeded; 2025-04-30 | 3270.124(b)(5) | Information re: special needs; 2025-04-30 | 3270.134(a) | Child's hands washed

May 7, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Running Water/ Safe Drinking Water**

3270.69(a)

Apr 22, 2024 1 Finding ● 1 Important

● **General Health and Safety; 2024-04-22**

3270.21

3270.31(e)(4)(i) | Age and Training; 2024-04-22 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-04-22 | 3270.77(a) | No peeling paint or plaster; 2024-04-22 | 3270.103 | Small Toys and Objects; 2024-04-22 | 3270.111(c)/3270.113(d) | Promote development/No harsh language; 2024-04-22 | 3270.124(b)(3) | Parent home/work address, phone; 2024-04-22 | 3270.124(b)(5) | Information re: special needs; 2024-04-22 | 3270.133(6) | Written consent; 2024-04-22 | 3270.133(7) | Medication log; 2024-04-22 | 3270.135(a)(3) | Disposable diapers; 2024-04-22 | 3270.151(c)(2) | Mantoux TB; 2024-04-22 | 3270.166(5) | Six-months-old held; 2024-04-22 | 3270.94(a)(1) | Every 60 days

Apr 8, 2024 1 Finding ● 1 Important

● **Immediate Access; 2024-04-08**

3270.24(a)

3270.19(b) | Child abuse reporting

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.