

<NA>

1106 ELM ST  
LEBANON, PA

### 1 Inspection Visit Since 2025 - 12 Findings

Most recent inspection: Sep 19, 2025

● 12 Important

Across 1 inspection since 2025, the issues cited most often were Parent Home/work Address, Phone (2), Locked or Inaccessible - in Original Container (1), and No Peeling Paint or Plaster (1). None of the 12 findings were critical.

### Inspection Visits

**Sep 19, 2025** 12 Findings ● 12 Important

● **Clean and Good Repair**

3290.102(a)

● **Small Toys and Objects**

3290.103

● **Parent Home/work Address, Phone**

3290.124(b)(3)

● **Name/address/phone Release Person**

3290.124(b)(7)

● **Updated Infant Health Report: Every 6 months/Parent Written**

3290.131(b)(1)/3290.131(e)(1)

● **Child's Hands Washed**

3290.134(a)

● **Emergency Info/agreement Updated 6 Mos**

3290.181(c)

● **Age and Training**

3290.31(a)(2)

#### About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

- **Locked or Inaccessible - in Original Container**  
3290.64(a)
- **No Peeling Paint or Plaster**  
3290.75(a)
- **Hypothetical Locations**  
3290.94(a)(4)
- **System in compliance/Operator or Designated Staff Responsibi**  
3290.95(a)/3290.95(b)

#### **About this report**

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.