

<NA>

226 CHESTNUT ST STE 102
KANE, PA

4 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Oct 28, 2025

● 4 Important

Across 4 inspections since 2023, the issues cited most often were Training Regarding Plan; 2025-10-28 (1), Parent Access & Participation (1), and Comply with CPSL/CPSL Information; 2024-10-23 (1). None of the 4 findings were critical.

Inspection Visits

Oct 28, 2025 1 Finding ● 1 Important

● Training Regarding Plan; 2025-10-28

3270.27(c)

3270.31(f) | Health and Safety Training; 2025-10-28 | 3270.31(f) | Health and Safety Training; 2025-10-28 | 3270.32(a) | Comply with CPSL; 2025-10-28 | 3270.192(5) | Two written references

Jun 30, 2025 1 Finding ● 1 Important

● Parent Access & Participation

3270.23

Oct 23, 2024 1 Finding ● 1 Important

● Comply with CPSL/CPSL Information; 2024-10-23

3270.32(a)/3270.192(4)

3270.75(c) | Has all items; 2024-10-23 | 3270.102(a) | Clean and good repair; 2024-10-23 | 3270.123(a)(5) | Designated release persons; 2024-10-23 | 3270.131(b)(2) | Toddler/preschool: updated health report every 12 months; 2024-10-23 | 3270.151(c)(3)/3270.192(3) | Exam communicable disease/Health assessment, TB test; 2024-10-23 | 3270.166(1) | Written statement; 2024-10-23 | 3270.131(a)/3270.182(1) | Health information/Initial and subsequent health reports

Oct 20, 2023 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Pertinent Laws & Regulations/General Health and Safety; 2023-10-20**

3270.14/3270.21

3270.32(a) | Comply with CPSL; 2023-10-20 | 3270.32(a)/3270.192(2)(iii) | Comply with CPSL/Exp, educ., training at facility; 2023-10-20 | 3270.124(c) | Each child care space; 2023-10-20 | 3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy; 2023-10-20 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.