

<NA>

5915 BEACON ST
PITTSBURGH, PA

4 Inspection Visits Since 2024 - 4 Findings

Most recent inspection: Apr 21, 2026

● 4 Important

Across 4 inspections since 2024, the issues cited most often were Health and Safety Training; 2025-06-05 (2), Training Regarding Plan; 2026-04-21 (1), and Pertinent Laws & Regulations/General Health and Safety; 2024-04-26 (1). None of the 4 findings were critical.

Inspection Visits

Apr 21, 2026 1 Finding ● 1 Important

● **Training Regarding Plan; 2026-04-21**

3270.27(c)

3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2026-04-21 | 3270.31(f) | Health and Safety Training; 2026-04-21 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2026-04-21 | 3270.32(a) | Comply with CPSL; 2026-04-21 | 3270.33(a)/3270.192(2)(ii) | Each staff person meets quals/Exp, educ., training prior to ; 2026-04-21 | 3270.102(a) | Clean and good repair; 2026-04-21 | 3270.111(a) | Written plan; 2026-04-21 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He

Jun 5, 2025 1 Finding ● 1 Important

● **Health and Safety Training; 2025-06-05**

3270.31(f)

3270.33(a)/3270.192(2)(ii) | Each staff person meets quals/Exp, educ., training prior to ; 2025-06-05 | 3270.192(5) | Two written references

Apr 4, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Fire Safety - 1 Yr.; 2025-04-04**

3270.31(e)(4)(ii)

3270.31(f) | Health and Safety Training; 2025-04-04 | 3270.31(f) | Health and Safety Training; 2025-04-04 | 3270.32(a) | Comply with CPSL; 2025-04-04 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-04-04 | 3270.32(a) | Comply with CPSL; 2025-04-04 | 3270.33(a)/3270.192(2)(ii) | Each staff person meets quals/Exp, educ., training prior to ; 2025-04-04 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2025-04-04 | 3270.66(b) | Original container; 2025-04-04 | 3270.77(a) | No peeling paint or plaster; 2025-04-04 | 3270.82(h) | Handwashing signs; 2025-04-04 | 3270.102(a) | Clean and good repair; 2025-04-04 | 3270.106(a) | Clean, age appropriate; 2025-04-04 | 3270.107 | Refrigerator; 2025-04-04 | 3270.124(b)(3) | Parent home/work address, phone; 2025-04-04 | 3270.124(b)(4)/3270.182(3) | Written consent/Consent for emergency medical care required ; 2025-04-04 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2025-04-04 | 3270.182(5) | Consent for administration of minor first-aid required prior; 2025-04-04 | 3270.192(5) | Two written references

Apr 26, 2024 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2024-04-26**

3270.14/3270.21

3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-04-26 | 3270.33(a)/3270.192(2)(ii) | Each staff person meets quals/Exp, educ., training prior to ; 2024-04-26 | 3270.77(a) | No peeling paint or plaster; 2024-04-26 | 3270.82(h) | Handwashing signs; 2024-04-26 | 3270.102(a) | Clean and good repair; 2024-04-26 | 3270.123(a) | Signed; 2024-04-26 | 3270.123(a)(5) | Designated release persons; 2024-04-26 | 3270.123(a)(6) | Admission date; 2024-04-26 | 3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy; 2024-04-26 | 3270.135(a)(3) | Disposable diapers; 2024-04-26 | 3270.151(c)(2)/3270.192(3) | Mantoux TB/Health assessment, TB test

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.