

<NA>

435 N MAIN ST
SLIPPERY ROCK, PA

5 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Jun 16, 2025

● 5 Important

Across 5 inspections since 2023, the issues cited most often were Pertinent Laws & Regulations/General Health and Safety; 2025-01-21 (2), Age and Training; 2025-06-16 (1), and Comply with CPSL/CPSL Information; 2025-04-25 (1). None of the 5 findings were critical.

Inspection Visits

Jun 16, 2025 1 Finding ● 1 Important

● Age and Training; 2025-06-16

3270.31(e)(4)(i)

3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-06-16 | 3270.36(b)(5)/3270.192(2)(ii) | HS/GED + 2 yrs/Exp, educ., training prior to facility; 2025-06-16 | 3270.76 | Building Surfaces; 2025-06-16 | 3270.82(e) | Toilet and sinks proper height; 2025-06-16 | 3270.102(a) | Clean and good repair; 2025-06-16 | 3270.123(a)(3) | Services proceeded; 2025-06-16 | 3270.123(a)(6) | Admission date; 2025-06-16 | 3270.124(b)(6) | Insurance coverage information; 2025-06-16 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2025-06-16 | 3270.166(1) | Written statement; 2025-06-16 | 3270.192(5) | Two written references

Apr 25, 2025 1 Finding ● 1 Important

● Comply with CPSL/CPSL Information; 2025-04-25

3270.32(a)/3270.192(4)

3270.151(c)(3) | Exam communicable disease; 2025-04-25 | 3270.151(c)(5) | Physician/CRNP assessment; 2025-04-25 | 3270.192(5) | Two written references; 2025-04-25 | 3270.94(a)(9) | Written record; 2025-04-25 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Jan 21, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Pertinent Laws & Regulations/General Health and Safety; 2025-01-21**

3270.14/3270.21

3270.27(b) | Plan reviewed/updated annually; 2025-01-21 | 3270.31(f) | Health and Safety Training; 2025-01-21 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-01-21 | 3270.34(c) | Employed and present 30 hrs/wk; 2025-01-21 | 3270.36(b)(5)/3270.192(2)(ii) | HS/GED + 2 yrs/Exp, educ., training prior to facility; 2025-01-21 | 3270.51 | Similar Age Level; 2025-01-21 | 3270.77(a) | No peeling paint or plaster; 2025-01-21 | 3270.91(a) | Stairs, exits, etc. unobstructed; 2025-01-21 | 3270.113(a) | Supervised at all times; 2025-01-21 | 3270.113(a)(1) | Staff assigned to specific children; 2025-01-21 | 3270.151(a) | 12 months prior to service and every 24 months thereafter; 2025-01-21 | 3270.192(2)(i) | Age; 2025-01-21 | 3270.192(5) | Two written references; 2025-01-21 | 3270.94(a)(1)/3270.94(a)(9) | Every 60 days/Written record; 2025-01-21 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2025-01-21 | 3270.25(a) | Availability of certificate of compliance and applicable reg

Jun 14, 2024 1 Finding ● 1 Important

● **Letter to Parents; 2024-06-14**

3270.27(e)

3270.31(e)(4)(i) | Age and Training; 2024-06-14 | 3270.66(a) | Locked or inaccessible; 2024-06-14 | 3270.91(a) | Stairs, exits, etc. unobstructed; 2024-06-14 | 3270.166(1) | Written statement

Jun 23, 2023 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2023-06-23**

3270.14/3270.21

3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy; 2023-06-23 | 3270.134(a) | Child's hands washed

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.