

<NA>

3892 HAPPY VALLEY RD
EAST SPRINGFIELD, PA

5 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Jan 14, 2026

● 5 Important

Across 5 inspections since 2025, the issues cited most often were Age and training/Exp, Educ., Training at Facility; 2026-01-14 (2), Maximum Number of Children; 2025-11-24 (1), and Mixed Age Levels; 2025-10-22 (1). None of the 5 findings were critical.

Inspection Visits

Jan 14, 2026 1 Finding ● 1 Important

● Age and training/Exp, Educ., Training at Facility; 2026-01-14

3280.31(e)/3280.192(2)(iii)

3280.32(a)/3280.192(4) | Comply with CPSL/CPSL information; 2026-01-14 | 3280.66(a) | Locked or inaccessible - in original container; 2026-01-14 | 3280.69(a) | 110° F or less; 2026-01-14 | 3280.102(a) | Clean and good repair; 2026-01-14 | 3280.123(a)(3) | Services proceeded; 2026-01-14 | 3280.124(f)/3280.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2026-01-14 | 3280.131(a)(4) | Initial health report for school age; accordance with school; 2026-01-14 | 3280.134(d) | Labeled toothbrush; 2026-01-14 | 3280.182(1) | Initial and subsequent health assessments; 2026-01-14 | 3280.182(3) | Consent for emergency medical care required prior to admissi; 2026-01-14 | 3280.182(5) | Consent for administration of minor first-aid required prior; 2026-01-14 | 3280.31(f) | Age and training; 2026-01-14 | 3280.131(a) | Health Information

Nov 24, 2025 1 Finding ● 1 Important

● Maximum Number of Children; 2025-11-24

3280.51

3280.53(b)/3280.61(c) | Counted for capacity /40 square feet wall-to-wall; 2025-11-24 | 3280.102(a) | Clean and good repair

Oct 22, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Mixed Age Levels; 2025-10-22**

3280.52(c)

3280.102(a) | Clean and good repair; 2025-10-22 | 3280.94(a)(1) | Every 60 days; 2025-10-22 | 3280.95(a)/3280.95(b)
| FIRE DETECTION/Staff responsibility

Mar 12, 2025 1 Finding ● 1 Important

● **Comply with CPSL; 2025-03-12**

3280.32(a)

3280.31(f) | Age and training

Jan 21, 2025 1 Finding ● 1 Important

● **Age and training/Exp, Educ., Training at Facility; 2025-01-21**

3280.31(e)/3280.192(2)(iii)

3280.66(a) | Locked or inaccessible - in original container; 2025-01-21 | 3280.123(b)/3280.182(8) | Parent receives original/Copy of initial and subsequent agre; 2025-01-21 | 3280.124(b)(7)/3280.124(f) | Name/address/phone re-lease person/Updated every 6 months; 2025-01-21 | 3280.124(f)/3280.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2025-01-21 | 3280.131(e)/3280.131(e)(3) | ACIP recommended immunization record /Dismissal policy; 2025-01-21 | 3280.26(a)(6) | Emergency plan; 2025-01-21 | 3280.31(f) | Age and training; 2025-01-21 | 3280.131(a)/3280.182(1) | Health Information/Initial and subsequent health assessments

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.