

<NA>

947 AMITY ST
READING, PA

3 Inspection Visits Since 2024 - 3 Findings

Most recent inspection: Jan 7, 2026

● 3 Important

Across 3 inspections since 2024, the issues cited most often were Training Regarding Plan; 2026-01-07 (1), In Child Care Spaces; 2025-03-10 (1), and 110° F or Less; 2024-09-26 (1). None of the 3 findings were critical.

Inspection Visits

Jan 7, 2026 1 Finding ● 1 Important

● **Training Regarding Plan; 2026-01-07**

3270.27(c)

3270.27(e) | Letter to parents; 2026-01-07 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2026-01-07 | 3270.70(a) | 65° F minimum; 2026-01-07 | 3270.192(4) | CPSL information

Mar 10, 2025 1 Finding ● 1 Important

● **In Child Care Spaces; 2025-03-10**

3270.75(a)

3270.103 | Small Toys and Objects; 2025-03-10 | 3270.111(b)/3270.124(e) | Posted in group space/Written emergency plan posted; 2025-03-10 | 3270.121(b) | Given parents in writing; 2025-03-10 | 3270.124(b)(3) | Parent home/work address, phone; 2025-03-10 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Sep 26, 2024 1 Finding ● 1 Important

● **110° F or Less; 2024-09-26**

3270.69(b)

3270.77(a) | No peeling paint or plaster; 2024-09-26 | 3270.102(a) | Clean and good repair; 2024-09-26 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.