

<NA>

100 HARTHAN WAY  
ALBION, PA

## 5 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Apr 7, 2026

● 5 Important

Across 5 inspections since 2023, the issues cited most often were Comply with CPSL/CPSL Information; 2026-04-07 (2), Health and Safety Training; 2026-02-27 (1), and Lidded Waste Receptacles; 2024-08-29 (1). None of the 5 findings were critical.

## Inspection Visits

**Apr 7, 2026** 1 Finding ● 1 Important

● **Comply with CPSL/CPSL Information; 2026-04-07**

3270.32(a)/3270.192(4)

3270.101(a)/3270.101(c) | Age appropriate/Include 6 categories of development; 2026-04-07 |  
3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2026-04-07 | 3270.183(a)  
| Locked cabinet; 2026-04-07 | 3270.193(a) | Confidential; stored in locked cabinet

**Feb 27, 2026** 1 Finding ● 1 Important

● **Health and Safety Training; 2026-02-27**

3270.31(f)

3270.102(a) | Clean and good repair; 2026-02-27 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or  
designated staff perso

**Apr 9, 2025** 1 Finding ● 1 Important

● **Comply with CPSL; 2025-04-09**

3270.32(a)

3270.111(b) | Posted in group space; 2025-04-09 | 3270.131(e)(1)/3270.131(e)(3) | Exemption documentation from  
parent/guardian/Dismissal polic; 2025-04-09 | 3270.27(a)(6) | Emergency plan; 2025-04-09 | 3270.95(a)/3270.95(b) |  
Devices must be compliant/Director or designated staff perso

## About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

**Aug 29, 2024** 1 Finding 1 Important

● **Lidded Waste Receptacles; 2024-08-29**

3270.82(i)

3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2024-08-29 |  
3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

**Aug 16, 2023** 1 Finding 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2023-08-16**

3270.14/3270.21

3270.14/3270.21 | Pertinent Laws & Regulations/General Health and Safety; 2023-08-16 | 3270.27(b) | Plan re-viewed/updated annually; 2023-08-16 | 3270.27(c)/3270.192(2)(iii) | Training regarding plan/Exp, educ., training at facility; 2023-08-16 | 3270.27(e) | Letter to parents; 2023-08-16 | 3270.31(e)(4)(ii)/3270.192(2)(iii) | Fire safety - 1 yr./Exp, educ., training at facility; 2023-08-16 | 3270.31(f) | Health and Safety Training; 2023-08-16 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2023-08-16 | 3270.34(a)(6) | Staff evaluations; 2023-08-16 | 3270.102(a) | Clean and good repair; 2023-08-16 | 3270.123(a)/3270.182(8) | Signed /Copy of initial and subsequent agreements. Parent re; 2023-08-16 | 3270.123(a)(6)/3270.182(2) | Admission date/Application, admission, withdrawal dates; 2023-08-16 | 3270.27(a)(6) | Emergency plan; 2023-08-16 | 3270.27(a)(1) | Emergency plan

**About this report**

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.