

<NA>

830 W TRENTON AVE
MORRISVILLE, PA

5 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Jan 8, 2026

● 5 Important

Across 5 inspections since 2023, the issues cited most often were Comply with CPSL/CPSL Information (2), General Health and Safety; 2026-01-08 (1), and Clean and Good Repair; 2024-10-25 (1). None of the 5 findings were critical.

Inspection Visits

Jan 8, 2026 1 Finding ● 1 Important

● **General Health and Safety; 2026-01-08**

3270.21

3270.113(a) | Supervised at all times

May 13, 2025 1 Finding ● 1 Important

● **Comply with CPSL/CPSL Information**

3270.32(a)/3270.192(4)

Oct 25, 2024 1 Finding ● 1 Important

● **Clean and Good Repair; 2024-10-25**

3270.82(g)

3270.102(c) | Outdoor equip.- protective surfacing

Nov 13, 2023 1 Finding ● 1 Important

● **High Chairs**

3270.105

Oct 27, 2023 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Comply with CPSL/CPSL Information; 2023-10-27**

3270.32(a)/3270.192(4)

3270.192(5) | Two written references

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.