

<NA>

4273 NEW HOLLAND RD
MOHNTON, PA

5 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Dec 15, 2025

● 5 Important

Across 5 inspections since 2025, the issues cited most often were Comply with CPSL/CPSL Information; 2025-12-15 (2), 12 Months Prior to Service and Every 24 Months Thereafter (1), and Building Surfaces (1). None of the 5 findings were critical.

Inspection Visits

Dec 15, 2025 1 Finding ● 1 Important

● Comply with CPSL/CPSL Information; 2025-12-15

3270.32(a)/3270.192(4)

3270.76 | Building Surfaces; 2025-12-15 | 3270.82(i) | Lidded waste receptacles; 2025-12-15 | 3270.123(a)/3270.123(a)(1) | Signed /Amount of fee; 2025-12-15 | 3270.123(a)(3) | Services proceeded; 2025-12-15 | 3270.124(b)(1) | Child's name, birth date; 2025-12-15 | 3270.124(b)(2) | Physician name, address, phone; 2025-12-15 | 3270.124(b)(3)/3270.124(b)(7) | Parent home/work address, phone/Name/address/phone release p; 2025-12-15 | 3270.124(c) | Each child care space; 2025-12-15 | 3270.131(b)(2) | Toddler/preschool: updated health report every 12 months; 2025-12-15 | 3270.133(5) | Original label; 2025-12-15 | 3270.161(d) | Potentially hazardous food refrigerated; 2025-12-15 | 3270.181(e) | Emergency master file updated; 2025-12-15 | 3270.182(7) | Reports of accidents, injuries and illnesses. Original repor; 2025-12-15 | 3270.183(a) | Locked cabinet; 2025-12-15 | 3270.27(a)(6) | Emergency plan; 2025-12-15 | 3270.131(a) | Health information

Nov 13, 2025 1 Finding ● 1 Important

● Comply with CPSL; 2025-11-13

3270.32(a)

3270.52 | Mixed Age Level; 2025-11-13 | 3270.123(a)(6)/3270.182(2) | Admission date/Application, admission, withdrawal dates

Apr 2, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

- **12 Months Prior to Service and Every 24 Months Thereafter**
3270.151(a)

Feb 12, 2025 1 Finding ● 1 Important

- **Building Surfaces**
3270.76

Feb 5, 2025 1 Finding ● 1 Important

- **Training Regarding Plan; 2025-02-05**
3270.27(c)

3270.69(a) | Running water/ safe drinking water; 2025-02-05 | 3270.131(d)(7)/3270.131(d)(8) | Free from contagious/communicable disease/Age appropriate sc

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.