

<NA>

340 E CHURCH ST
SELLERSVILLE, PA

3 Inspection Visits Since 2024 · 3 Findings

Most recent inspection: Mar 30, 2026

● 3 Important

Across 3 inspections since 2024, the issues cited most often were Special Diet - Parent's Instructions (1), Comply with CPSL/CPSL Information; 2025-06-03 (1), and Each Child Emergency Contact person/Physician Name, Address,; 2024-05-16 (1). None of the 3 findings were critical.

Inspection Visits

Mar 30, 2026 1 Finding ● 1 Important

● **Special Diet - Parent's Instructions**
3270.133(8)

Jun 3, 2025 1 Finding ● 1 Important

● **Comply with CPSL/CPSL Information; 2025-06-03**
3270.32(a)/3270.192(4)
3270.65 | Protective Outlet Covers 5 yrs. or less; 2025-06-03 | 3270.66(a) | Locked or inaccessible; 2025-06-03 | 3270.75(c) | Has all items; 2025-06-03 | 3270.76 | Building Surfaces; 2025-06-03 | 3270.124(b)(1) | Child's name, birth date; 2025-06-03 | 3270.124(b)(4)/3270.182(3) | Written consent/Consent for emergency medical care required ; 2025-06-03 | 3270.131(b)(2)/3270.182(1) | Toddler/preschool: updated health report every 12 months/Ini; 2025-06-03 | 3270.182(5) | Consent for administration of minor first-aid required prior

May 16, 2024 1 Finding ● 1 Important

● **Each Child Emergency Contact person/Physician Name, Address,; 2024-05-16**
3270.124(a)/3270.124(b)(2)
3270.151(c)(2) | Mantoux TB; 2024-05-16 | 3270.171(c) | Safe routes posted; 2024-05-16 | 3270.192(5) | Two written references; 2024-05-16 | 3270.94(a)(5) | Evacuation routes posted

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.