

<NA>

2747 TRENTON RD  
LEVITTOWN, PA

## 5 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Jan 8, 2026

● 5 Important

Across 5 inspections since 2023, the issues cited most often were Comply with CPSL/CPSL Information (2), General Health and Safety; 2026-01-08 (1), and Clean and Good Repair; 2024-10-25 (1). None of the 5 findings were critical.

## Inspection Visits

**Jan 8, 2026** 1 Finding ● 1 Important

● **General Health and Safety; 2026-01-08**

3270.21

3270.113(a) | Supervised at all times

**May 13, 2025** 1 Finding ● 1 Important

● **Comply with CPSL/CPSL Information**

3270.32(a)/3270.192(4)

**Oct 25, 2024** 1 Finding ● 1 Important

● **Clean and Good Repair; 2024-10-25**

3270.82(g)

3270.102(c) | Outdoor equip.- protective surfacing

**Nov 13, 2023** 1 Finding ● 1 Important

● **High Chairs**

3270.105

**Oct 27, 2023** 1 Finding ● 1 Important

### About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Comply with CPSL/CPSL Information; 2023-10-27**

3270.32(a)/3270.192(4)

3270.192(5) | Two written references

**About this report**

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.