

<NA>

100 E POMFRET ST

CARLISLE, PA

4 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Mar 5, 2026



● 5 Important

Across 4 inspections since 2025, the issues cited most often were Building Surfaces (3), Designated Release Persons; 2025-08-01 (1), and Supervised at All Times; 2025-03-06 (1). None of the 5 findings were critical.

Inspection Visits

Mar 5, 2026 2 Findings ● 2 Important

● Building Surfaces

3270.76

● Building Surfaces

3270.76

Nov 4, 2025 1 Finding ● 1 Important

● Building Surfaces

3270.76

Aug 1, 2025 1 Finding ● 1 Important

● Designated Release Persons; 2025-08-01

3270.123(a)(5)

3270.123(a)(6)/3270.182(2) | Admission date/Application, admission, withdrawal dates; 2025-08-01 |

3270.192(2)(ii)/3270.192(2)(iv) | Exp, educ., training prior to facility/Transcript, diploma a; 2025-08-01 | 3270.95(a)

| Devices must be compliant

Mar 6, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Supervised at All Times; 2025-03-06**

3270.113(a)

3270.182(7) | Reports of accidents, injuries and illnesses. Original repor

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.