

<NA>

728 BEN FRANKLIN HWY
EBENSBURG, PA

5 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Oct 1, 2025

● 5 Important

Across 5 inspections since 2024, the issues cited most often were Pertinent Laws & Regulations/General Health and Safety; 2025-10-01 (2), Building Surfaces (1), and General Health and Safety; 2024-10-11 (1). None of the 5 findings were critical.

Inspection Visits

Oct 1, 2025 1 Finding ● 1 Important

● Pertinent Laws & Regulations/General Health and Safety; 2025-10-01

3270.14/3270.21

3270.32(a) | Comply with CPSL; 2025-10-01 | 3270.66(a) | Locked or inaccessible; 2025-10-01 | 3270.69(b) | 110° F or less; 2025-10-01 | 3270.76 | Building Surfaces; 2025-10-01 | 3270.102(a) | Clean and good repair; 2025-10-01 | 3270.103 | Small Toys and Objects; 2025-10-01 | 3270.107 | Refrigerator; 2025-10-01 | 3270.123(b)/3270.182(8) | Parent receives original/Copy of initial and subsequent agre; 2025-10-01 | 3270.124(b)(3) | Parent home/work address, phone; 2025-10-01 | 3270.124(b)(4)/3270.182(3) | Written consent/Consent for emergency medical care required ; 2025-10-01 | 3270.124(b)(7) | Name/address/phone release person; 2025-10-01 | 3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy; 2025-10-01 | 3270.166(4) | Bottles labeled; 2025-10-01 | 3270.181(c) | Emergency info/agreement updated 6 mos; 2025-10-01 | 3270.182(5) | Consent for administration of minor first-aid required prior; 2025-10-01 | 3270.94(a)(1) | Every 60 days; 2025-10-01 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2025-10-01 | 3270.31(e) | Age and Training

Sep 3, 2025 1 Finding ● 1 Important

● Building Surfaces

3270.76

Jul 17, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Pertinent Laws & Regulations/General Health and Safety; 2025-07-17**

3270.14/3270.21

3270.32(a) | Comply with CPSL; 2025-07-17 | 3270.34(a)(6) | Staff evaluations; 2025-07-17 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2025-07-17 | 3270.69(b) | 110° F or less; 2025-07-17 | 3270.76 | Building Surfaces; 2025-07-17 | 3270.102(a) | Clean and good repair; 2025-07-17 | 3270.102(c) | Outdoor equip.- protective surfacing; 2025-07-17 | 3270.151(a) | 12 months prior to service and every 24 months thereafter

Oct 11, 2024 1 Finding ● 1 Important

● **General Health and Safety; 2024-10-11**

3270.21

3270.27(c) | Training regarding plan; 2024-10-11 | 3270.27(e) | Letter to parents; 2024-10-11 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-10-11 | 3270.75(b) | Inaccessible to children; 2024-10-11 | 3270.102(a) | Clean and good repair; 2024-10-11 | 3270.103 | Small Toys and Objects; 2024-10-11 | 3270.124(b)(6) | Insurance coverage information; 2024-10-11 | 3270.124(b)(7) | Name/address/phone release person; 2024-10-11 | 3270.131(b)(2) | Toddler/preschool: updated health report every 12 months; 2024-10-11 | 3270.151(a) | 12 months prior to service and every 24 months thereafter; 2024-10-11 | 3270.181(c) | Emergency info/agreement updated 6 mos; 2024-10-11 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2024-10-11 | 3270.27(a)(2) | Emergency plan; 2024-10-11 | 3270.31(e) | Age and Training

Jul 16, 2024 1 Finding ● 1 Important

● **Water Safety**

3270.31(e)(4)(iv)

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.