

<NA>

4130 W STATE ST
EDINBURG, PA

4 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Feb 10, 2026

● 5 Important

Across 4 inspections since 2023, the issues cited most often were Age and Training; 2025-11-17 (2), 40 Square Feet Wall-to-wall (1), and 12 Months Prior to Service and Every 24 Months Thereafter (1). None of the 5 findings were critical.

Inspection Visits

Feb 10, 2026 2 Findings ● 2 Important

● **12 Months Prior to Service and Every 24 Months Thereafter**
3270.151(a)

● **40 Square Feet Wall-to-wall**
3270.61(c)

Nov 17, 2025 1 Finding ● 1 Important

● **Age and Training; 2025-11-17**
3270.31(e)(4)(i)
3270.32(a) | Comply with CPSL; 2025-11-17 | 3270.124(b)(3) | Parent home/work address, phone; 2025-11-17 | 3270.124(b)(6) | Insurance coverage information; 2025-11-17 | 3270.124(b)(7) | Name/address/phone release person; 2025-11-17 | 3270.124(e) | Written emergency plan posted; 2025-11-17 | 3270.151(a) | 12 months prior to service and every 24 months thereafter; 2025-11-17 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Nov 27, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Pertinent Laws & Regulations/General Health and Safety; 2024-11-27**

3270.14/3270.21

3270.14/3270.21 | Pertinent Laws & Regulations/General Health and Safety; 2024-11-27 | 3270.21 | General Health and Safety; 2024-11-27 | 3270.27(c) | Training regarding plan; 2024-11-27 | 3270.27(e) | Letter to parents; 2024-11-27 | 3270.31(e)(4)(i) | Age and Training; 2024-11-27 | 3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2024-11-27 | 3270.31(f) | Health and Safety Training; 2024-11-27 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-11-27 | 3270.34(a)(6) | Staff evaluations; 2024-11-27 | 3270.66(d) | Toxic plants not permitted; 2024-11-27 | 3270.75(c) | Has all items; 2024-11-27 | 3270.77(a) | No peeling paint or plaster; 2024-11-27 | 3270.123(b)/3270.182(8) | Parent receives original/Copy of initial and subsequent agre; 2024-11-27 | 3270.124(b)(5) | Information re: special needs; 2024-11-27 | 3270.124(b)(7) | Name/address/phone release person; 2024-11-27 | 3270.131(b)(2)/3270.182(1) | Toddler/preschool: updated health report every 12 months/Ini; 2024-11-27 | 3270.133(3) | Name on bottle; 2024-11-27 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2024-11-27 | 3270.181(c) | Emergency info/agreement updated 6 mos; 2024-11-27 | 3270.94(a)(1) | Every 60 days; 2024-11-27 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2024-11-27 | 3270.131(a)/3270.182(1) | Health information/Initial and subsequent health reports

Nov 16, 2023 1 Finding ● 1 Important

● **Health and Safety Training; 2023-11-16**

3270.31(f)

3270.124(b)(3) | Parent home/work address, phone; 2023-11-16 | 3270.133(2) | Written instructions; 2023-11-16 | 3270.133(6) | Written consent; 2023-11-16 | 3270.151(a) | 12 months prior to service and every 24 months thereafter; 2023-11-16 | 3270.151(c)(2) | Mantoux TB; 2023-11-16 | 3270.171(a) | Pick-up and drop-off points

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.