

<NA>

100 S 69TH ST
UPPER DARBY, PA

4 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Jul 3, 2025

● 4 Important

Across 4 inspections since 2024, the issues cited most often were Pertinent Laws & Regulations/General Health and Safety; 2024-10-25 (2), Plan Reviewed/updated Annually; 2025-07-03 (1), and Comply with CPSL/CPSL Information; 2024-06-12 (1). None of the 4 findings were critical.

Inspection Visits

Jul 3, 2025 1 Finding ● 1 Important

● **Plan Reviewed/updated Annually; 2025-07-03**

3270.27(b)

3270.27(e) | Letter to parents; 2025-07-03 | 3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2025-07-03 | 3270.123(a)(3) | Services proceeded; 2025-07-03 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2025-07-03 | 3270.176(a) | Insured; 2025-07-03 | 3270.171(a) | Pick-up and drop-off points

Oct 25, 2024 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2024-10-25**

3270.14/3270.21

3270.14/3270.21 | Pertinent Laws & Regulations/General Health and Safety; 2024-10-25 | 3270.27(c) | Training regarding plan; 2024-10-25 | 3270.27(e) | Letter to parents; 2024-10-25 | 3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2024-10-25 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-10-25 | 3270.36(b)(5) | HS/GED + 2 yrs; 2024-10-25 | 3270.123(a)(3) | Services proceeded; 2024-10-25 | 3270.131(b)(2) | Toddler/preschool: updated health report every 12 months; 2024-10-25 | 3270.25(a) | Availability of certificate of compliance and applicable reg

Jun 12, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Comply with CPSL/CPSL Information; 2024-06-12**

3270.32(a)/3270.192(4)

3270.36(b)(5)/3270.192(2)(ii) | HS/GED + 2 yrs/Exp, educ., training prior to facility; 2024-06-12 |

3270.37(b)(3)/3270.192(2)(ii) | 8th grade + 2 yrs/Exp, educ., training prior to facility; 2024-06-12 | 3270.123(a)(3) |

Services proceeded; 2024-06-12 | 3270.124(b)(7) | Name/address/phone release person; 2024-06-12 | 3270.27(f) |

Emergency plan; 2024-06-12 | 3270.171(a) | Pick-up and drop-off points

Apr 17, 2024 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2024-04-17**

3270.14/3270.21

3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-04-17 | 3270.36(b)(5)/3270.192(2)(ii) | HS/GED

+ 2 yrs/Exp, educ., training prior to facility; 2024-04-17 | 3270.37(b)(3)/3270.192(2)(ii) | 8th grade + 2 yrs/Exp,

educ., training prior to facility; 2024-04-17 | 3270.51/3270.52 | Similar Age Level/Mixed Age Level; 2024-04-17 |

3270.51/3270.52 | Similar Age Level/Mixed Age Level; 2024-04-17 | 3270.76 | Building Surfaces; 2024-04-17 |

3270.82(h) | Handwashing signs; 2024-04-17 | 3270.106(f) | 2 feet apart; 2024-04-17 | 3270.113(a) | Supervised

at all times; 2024-04-17 | 3270.113(a) | Supervised at all times; 2024-04-17 | 3270.123(a)(3) | Services proceeded;

2024-04-17 | 3270.124(b)(7) | Name/address/phone release person; 2024-04-17 | 3270.166(4) | Bottles labeled;

2024-04-17 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2024-04-17 |

3270.27(f) | Emergency plan; 2024-04-17 | 3270.171(a) | Pick-up and drop-off points

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.