

<NA>

18 QUARRY RD
LEOLA, PA

5 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Mar 2, 2026

● 5 Important

Across 5 inspections since 2024, the issues cited most often were Comply with CPSL; 2025-07-24 (3), Promote Development (1), and Training Regarding Plan; 2025-10-09 (1). None of the 5 findings were critical.

Inspection Visits

Mar 2, 2026 1 Finding ● 1 Important

● Promote Development
3270.111(c)

Oct 9, 2025 1 Finding ● 1 Important

● Training Regarding Plan; 2025-10-09
3270.27(c)

3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2025-10-09 | 3270.31(f) | Health and Safety Training; 2025-10-09 | 3270.32(a) | Comply with CPSL; 2025-10-09 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2025-10-09 | 3270.75(c) | Has all items; 2025-10-09 | 3270.76 | Building Surfaces; 2025-10-09 | 3270.106(f) | 2 feet apart; 2025-10-09 | 3270.113(a)/3270.113(a)(1) | Supervised at all times /Staff assigned to specific children; 2025-10-09 | 3270.123(a)(1) | Amount of fee; 2025-10-09 | 3270.131(b)(1) | Infant: updated health report every 6 months; 2025-10-09 | 3270.133(3) | Name on bottle; 2025-10-09 | 3270.151(a) | 12 months prior to service and every 24 months thereafter; 2025-10-09 | 3270.181(c) | Emergency info/agreement updated 6 mos

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

Jul 24, 2025 1 Finding ● 1 Important

● **Comply with CPSL; 2025-07-24**

3270.32(a)

3270.102(e)/3270.103 | Infant/toddler - no material less than 1 inch/Small Toys and; 2025-07-24 | 3270.133(7) | Medication log; 2025-07-24 | 3270.151(c)(5) | Physician/CRNP assessment; 2025-07-24 | 3270.192(5) | Two written references

Dec 18, 2024 1 Finding ● 1 Important

● **Comply with CPSL; 2024-12-18**

3270.32(a)

3270.75(b) | Inaccessible to children; 2024-12-18 | 3270.76 | Building Surfaces; 2024-12-18 | 3270.77(a) | No peeling paint or plaster; 2024-12-18 | 3270.183(a)/3270.193(a) | Locked cabinet/Confidential; stored in locked cabinet

Dec 4, 2024 1 Finding ● 1 Important

● **Comply with CPSL; 2024-12-04**

3270.32(a)

3270.65 | Protective Outlet Covers 5 yrs. or less; 2024-12-04 | 3270.66(a) | Locked or inaccessible; 2024-12-04 | 3270.75(b) | Inaccessible to children; 2024-12-04 | 3270.76 | Building Surfaces; 2024-12-04 | 3270.77(a) | No peeling paint or plaster; 2024-12-04 | 3270.103 | Small Toys and Objects; 2024-12-04 | 3270.123(a)(4) | Arrival/departure times; 2024-12-04 | 3270.124(c)/3270.181(e) | Each child care space/Emergency master file updated; 2024-12-04 | 3270.131(b)(2) | Toddler/preschool: updated health report every 12 months; 2024-12-04 | 3270.131(e)(1)/3270.131(e)(3) | Exemption documentation from parent/guardian/Dismissal polic; 2024-12-04 | 3270.171(c) | Safe routes posted; 2024-12-04 | 3270.95(a) | Devices must be compliant; 2024-12-04 | 3270.131(a) | Health information

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.