

<NA>

500 N WATER ST
MASONTOWN, PA

5 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jan 23, 2026

● 5 Important

Across 5 inspections since 2024, the issues cited most often were Pertinent Laws & Regulations/General Health and Safety; 2024-07-18 (2), Training Regarding plan/Exp, Educ., Training at Facility; 2026-01-23 (1), and Locked or Inaccessible; 2025-01-17 (1). None of the 5 findings were critical.

Inspection Visits

Jan 23, 2026 1 Finding ● 1 Important

● Training Regarding plan/Exp, Educ., Training at Facility; 2026-01-23

3270.27(c)/3270.192(2)(iii)

3270.34(a)(6) | Staff evaluations; 2026-01-23 | 3270.66(b) | Original container; 2026-01-23 | 3270.71 | Heat Source; 2026-01-23 | 3270.102(a) | Clean and good repair; 2026-01-23 | 3270.103/3270.104(a) | Small Toys and Objects/Clean, good repair, proper size; 2026-01-23 | 3270.124(b)(5) | Information re: special needs; 2026-01-23 | 3270.124(b)(7) | Name/address/phone release person; 2026-01-23 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2026-01-23 | 3270.31(e)/3270.192(2)(iii) | Age and Training/Exp, educ., training at facility; 2026-01-23 | 3270.131(a)/3270.182(1) | Health information/Initial and subsequent health reports

Jan 17, 2025 1 Finding ● 1 Important

● Locked or Inaccessible; 2025-01-17

3270.66(a)

3270.76 | Building Surfaces; 2025-01-17 | 3270.123(a)(3) | Services proceeded; 2025-01-17 | 3270.31(e)/3270.192(2)(iii) | Age and Training/Exp, educ., training at facility

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

Jul 18, 2024 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2024-07-18**

3270.14/3270.21

3270.65 | Protective Outlet Covers 5 yrs. or less; 2024-07-18 | 3270.102(a) | Clean and good repair

Mar 13, 2024 1 Finding ● 1 Important

● **Staff Evaluations; 2024-03-13**

3270.34(a)(6)

3270.67(c) | No insects or rodents; 2024-03-13 | 3270.67(d) | Contaminated trash in closed plastic-lined receptacle; 2024-03-13 | 3270.75(c) | Has all items; 2024-03-13 | 3270.103 | Small Toys and Objects; 2024-03-13 | 3270.107 | Refrigerator; 2024-03-13 | 3270.123(a)(3) | Services proceeded; 2024-03-13 | 3270.131(b)(1)/3270.182(1) | Infant: updated health report every 6 months/Initial and sub; 2024-03-13 | 3270.133(4) | Locked; 2024-03-13 | 3270.133(6)/3270.133(7) | Written consent/Medication log; 2024-03-13 | 3270.181(c) | Emergency info/agreement updated 6 mos; 2024-03-13 | 3270.94(a)(1) | Every 60 days; 2024-03-13 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2024-03-13 | 3270.31(e) | Age and Training; 2024-03-13 | 3270.131(a)/3270.182(1) | Health information/Initial and subsequent health reports

Feb 1, 2024 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2024-02-01**

3270.14/3270.21

3270.27(e) | Letter to parents

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.