

<NA>

862 MCNAIR ST
HAZLE TOWNSHIP, PA

4 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Apr 8, 2026

● 5 Important

Across 4 inspections since 2025, the issues cited most often were Health Information/ACIP Recommended Immunization Record (1), Heat Source; 2026-03-23 (1), and Comply with CPSL/CPSL Information; 2026-03-23 (1). None of the 5 findings were critical.

Inspection Visits

Apr 8, 2026 1 Finding ● 1 Important

- **Health Information/ACIP Recommended Immunization Record**
3280.131(a)/3280.131(e)

Mar 23, 2026 2 Findings ● 2 Important

- **Comply with CPSL/CPSL Information; 2026-03-23**
3280.32(a)/3280.192(4)
3280.32(a) | Comply with CPSL; 2026-03-23 | 3280.34(b)(5)/3280.52(a)(1) | HS/GED + 2 yrs/Primary staff person present; 2026-03-23 | 3280.52(c) | Mixed age levels; 2026-03-23 | 3280.92(a)/3280.92(c) | Portable space heaters/Manufacturer's instructions; 2026-03-23 | 3280.133(3)/3280.133(6) | Name on bottle/Written consent; 2026-03-23 | 3280.182(3)/3280.182(5) | Consent for emergency medical care required prior to admissi; 2026-03-23 | 3280.192(5) | Two written references
- **Heat Source; 2026-03-23**
3280.71
3280.113(a) | Supervised at all times; 2026-03-23 | 3280.182(7) | Reports of accidents, injuries and illnesses. Original repor

Jul 2, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Clean, Age Appropriate; 2025-07-02**

3280.105(a)

3280.124(b)(6) | Insurance coverage information; 2025-07-02 | 3280.131(e)/3280.131(e)(3) | ACIP recommended immunization record /Dismissal policy; 2025-07-02 | 3280.166(1) | Written statement; 2025-07-02 | 3280.182(3)/3280.182(5) | Consent for emergency medical care required prior to admissi; 2025-07-02 | 3280.131(a) | Health Information

Mar 3, 2025 1 Finding ● 1 Important

● **Locked or Inaccessible - in Original Container; 2025-03-03**

3280.66(a)

3280.69(a) | 110° F or less; 2025-03-03 | 3280.106 | Refrigerator

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.