

<NA>

2328 S 5TH ST
ALLENTOWN, PA

2 Inspection Visits Since 2024 - 2 Findings

Most recent inspection: Mar 24, 2025

● 2 Important

Across 2 inspections since 2024, the issues cited most often were General Health and Safety (1) and Comply with CPSL/CPSL Information; 2024-03-27 (1). None of the 2 findings were critical.

Inspection Visits

Mar 24, 2025 1 Finding ● 1 Important

● **General Health and Safety**
3290.18

Mar 27, 2024 1 Finding ● 1 Important

● **Comply with CPSL/CPSL Information; 2024-03-27**
3290.32(a)/3290.192(3)

3290.32(a)/3290.192(3) | Comply with CPSL/CPSL information; 2024-03-27 | 3290.105(a) | Clean, age appropriate; 2024-03-27 | 3290.123(a)(3) | Services provided; 2024-03-27 | 3290.95(a)/3290.95(b) | System in compliance/Operator or designated staff responsibi; 2024-03-27 | 3290.31(f) | Age and training

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.