

<NA>

1000 EASTON RD
WYNCOTE, PA

4 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Nov 25, 2025



● 5 Important

Across 4 inspections since 2024, the issues cited most often were Comply with CPSL/CPSL Information; 2024-11-08 (2), Child Abuse Reporting (1), and Every 60 Days; 2025-11-25 (1). None of the 5 findings were critical.

Inspection Visits

Nov 25, 2025 2 Findings ● 2 Important

● Child Abuse Reporting
3270.19(b)

● Every 60 Days; 2025-11-25
3270.94(a)(1)
3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Nov 8, 2024 1 Finding ● 1 Important

● Comply with CPSL/CPSL Information; 2024-11-08
3270.32(a)/3270.192(4)
3270.192(5) | Two written references

Aug 2, 2024 1 Finding ● 1 Important

● Comply with CPSL; 2024-08-02
3270.32(a)
3270.66(b) | Original container; 2024-08-02 | 3270.107 | Refrigerator; 2024-08-02 | 3270.124(c) | Each child care space

Apr 18, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Lidded Waste receptacles/Disposable Diapers; 2024-04-18**

3270.82(i)/3270.135(a)(3)

3270.113(a)(1) | Staff assigned to specific children; 2024-04-18 | 3270.152 | Adult Hygiene

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.