

<NA>

3993 E CHURCH ST
COCHRANTON, PA

4 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Mar 10, 2026

● 5 Important

Across 4 inspections since 2024, the issues cited most often were Letter to Parents; 2026-03-10 (1), No Peeling Paint or Plaster; 2025-10-22 (1), and Pertinent Laws & Regulations/General Health and Safety; 2025-03-17 (1). None of the 5 findings were critical.

Inspection Visits

Mar 10, 2026 1 Finding ● 1 Important

● Letter to Parents; 2026-03-10

3270.27(e)

3270.67(d) | Contaminated trash in closed plastic-lined receptacle; 2026-03-10 | 3270.76 | Building Surfaces; 2026-03-10 | 3270.77(a) | No peeling paint or plaster; 2026-03-10 | 3270.82(g) | Clean and good repair; 2026-03-10 | 3270.82(h) | Handwashing signs; 2026-03-10 | 3270.102(a) | Clean and good repair; 2026-03-10 | 3270.103 | Small Toys and Objects; 2026-03-10 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2026-03-10 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2026-03-10 | 3270.171(c) | Safe routes posted

Oct 22, 2025 1 Finding ● 1 Important

● No Peeling Paint or Plaster; 2025-10-22

3270.77(a)

3270.102(a) | Clean and good repair; 2025-10-22 | 3270.103 | Small Toys and Objects; 2025-10-22 | 3270.133(5) | Original label; 2025-10-22 | 3270.133(6) | Written consent

Mar 17, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Pertinent Laws & Regulations/General Health and Safety; 2025-03-17**

3270.14/3270.21

3270.31(f) | Health and Safety Training; 2025-03-17 | 3270.34(a)(6) | Staff evaluations; 2025-03-17 | 3270.62(b) | Play space - 65 square feet/child; 2025-03-17 | 3270.76 | Building Surfaces; 2025-03-17 | 3270.107 | Refrigerator; 2025-03-17 | 3270.123(a)(4) | Arrival/departure times; 2025-03-17 | 3270.124(b)(2) | Physician name, address, phone; 2025-03-17 | 3270.124(b)(6) | Insurance coverage information; 2025-03-17 | 3270.124(b)(7) | Name/address/phone release person; 2025-03-17 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2025-03-17 | 3270.131(b)(2)/3270.182(1) | Toddler/preschool: updated health report every 12 months/Ini; 2025-03-17 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2025-03-17 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Mar 19, 2024 2 Findings ● 2 Important

● **Supervised at All Times**

3270.113(a)

● **Inpatient Hospitalization or ER Treatment of Child; 2024-03-19**

3270.20(a)(1)

3270.20(b) | Mail or deliver written report to regional office within 72

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.