

<NA>

207 2ND AVE
WARREN, PA

5 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Apr 22, 2026

● 5 Important

Across 5 inspections since 2023, the issues cited most often were Indoor Space- Small Muscle; 2026-04-22 (1), General Health and Safety; 2025-06-17 (1), and Above Ground Window Opening Restricted to 6"; 2025-02-27 (1). None of the 5 findings were critical.

Inspection Visits

Apr 22, 2026 1 Finding ● 1 Important

● **Indoor Space- Small Muscle; 2026-04-22**

3270.61(a)

3270.111(c) | Promote development

Jun 17, 2025 1 Finding ● 1 Important

● **General Health and Safety; 2025-06-17**

3270.21

3270.27(e) | Letter to parents; 2025-06-17 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-06-17 | 3270.102(a) | Clean and good repair; 2025-06-17 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2025-06-17 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He

Feb 27, 2025 1 Finding ● 1 Important

● **Above Ground Window Opening Restricted to 6"; 2025-02-27**

3270.72(d)

3270.133(3) | Name on bottle; 2025-02-27 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

Jun 25, 2024 1 Finding 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2024-06-25**

3270.14/3270.21

3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-06-25 | 3270.32(a) | Comply with CPSL; 2024-06-25 | 3270.66(a)/3270.66(d) | Locked or inaccessible/Toxic plants not permitted; 2024-06-25 | 3270.151(c)(2) | Mantoux TB; 2024-06-25 | 3270.151(c)(3)/3270.151(c)(5) | Exam communicable disease/Physician/CRNP assessment

Jun 21, 2023 1 Finding ● 1 Important

● **Letter to Parents; 2023-06-21**

3270.27(e)

3270.32(a) | Comply with CPSL; 2023-06-21 | 3270.82(h) | Handwashing signs; 2023-06-21 | 3270.91(a) | Stairs, exits, etc. unobstructed; 2023-06-21 | 3270.123(a)(4) | Arrival/departure times; 2023-06-21 | 3270.124(b)(2) | Physician name, address, phone; 2023-06-21 | 3270.124(b)(5) | Information re: special needs; 2023-06-21 | 3270.124(b)(7) | Name/address/phone release person; 2023-06-21 | 3270.131(b)(2)/3270.182(1) | Toddler/preschool: updated health report every 12 months/Ini; 2023-06-21 | 3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.