

<NA>

1525 WAYNE AVE
INDIANA, PA

5 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Aug 14, 2025

● 5 Important

Across 5 inspections since 2023, the issues cited most often were General Health and Safety; 2025-08-14 (1), Pertinent Laws & Regulations/General Health and Safety; 2025-05-29 (1), and Comply with CPSL; 2025-02-04 (1). None of the 5 findings were critical.

Inspection Visits

Aug 14, 2025 1 Finding ● 1 Important

● General Health and Safety; 2025-08-14

3270.21

3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2025-08-14 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-08-14 | 3270.32(a) | Comply with CPSL; 2025-08-14 | 3270.124(c) | Each child care space; 2025-08-14 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2025-08-14 | 3270.131(b)(1) | Infant: updated health report every 6 months; 2025-08-14 | 3270.133(5) | Original label; 2025-08-14 | 3270.135(a)(3) | Disposable diapers; 2025-08-14 | 3270.31(e) | Age and Training; 2025-08-14 | 3270.131(a) | Health information

May 29, 2025 1 Finding ● 1 Important

● Pertinent Laws & Regulations/General Health and Safety; 2025-05-29

3270.14/3270.21

3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

Feb 4, 2025 1 Finding ● 1 Important

● **Comply with CPSL; 2025-02-04**

3270.32(a)

3270.37(b) | Aide qualifications; 2025-02-04 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2025-02-04 | 3270.133(5) | Original label; 2025-02-04 | 3270.192(5) | Two written references

Aug 29, 2024 1 Finding ● 1 Important

● **Training Regarding Plan; 2024-08-29**

3270.27(c)

3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2024-08-29 | 3270.32(a) | Comply with CPSL; 2024-08-29 | 3270.66(b) | Original container; 2024-08-29 | 3270.102(a) | Clean and good repair; 2024-08-29 | 3270.124(b)(2) | Physician name, address, phone; 2024-08-29 | 3270.124(b)(3) | Parent home/work address, phone; 2024-08-29 | 3270.124(b)(7) | Name/address/phone release person; 2024-08-29 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2024-08-29 | 3270.131(b)(2)/3270.182(1) | Toddler/preschool: updated health report every 12 months/Ini; 2024-08-29 | 3270.151(c)(3) | Exam communicable disease; 2024-08-29 | 3270.192(3) | Health assessment, TB test; 2024-08-29 | 3270.31(f)(10) | Health and Safety Training - Pediatric First Aid and CPR; 2024-08-29 | 3270.131(a)/3270.182(1) | Health information/Initial and subsequent health reports

Dec 15, 2023 1 Finding ● 1 Important

● **Running Water - Diapering; 2023-12-15**

3270.82(j)

3270.134(a) | Child's hands washed; 2023-12-15 | 3270.152 | Adult Hygiene

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.