

<NA>

832 N 16TH ST
ALLENTOWN, PA

3 Inspection Visits Since 2024 · 3 Findings

Most recent inspection: Feb 13, 2026

● 3 Important

Across 3 inspections since 2024, the issues cited most often were Comply with CPSL/CPSL Information; 2026-02-13 (1), Clean and Good Repair; 2025-06-25 (1), and General Health and Safety; 2024-08-15 (1). None of the 3 findings were critical.

Inspection Visits

Feb 13, 2026 1 Finding ● 1 Important

● **Comply with CPSL/CPSL Information; 2026-02-13**

3290.32(a)/3290.192(3)

3290.191 | Individual Records

Jun 25, 2025 1 Finding ● 1 Important

● **Clean and Good Repair; 2025-06-25**

3290.102(a)

3290.105(a) | Clean, age appropriate; 2025-06-25 | 3290.111(b) | Posted in area used by parents; 2025-06-25 | 3290.123(a)(3) | Services provided; 2025-06-25 | 3290.131(b)(1) | Updated infant health report: every 6 months; 2025-06-25 | 3290.166(4) | Bottles labeled; 2025-06-25 | 3290.95(a)/3290.95(b) | System in compliance/Operator or designated staff responsibi; 2025-06-25 | 3290.31(f) | Age and training

Aug 15, 2024 1 Finding ● 1 Important

● **General Health and Safety; 2024-08-15**

3290.18

3290.105(a) | Clean, age appropriate; 2024-08-15 | 3290.121(b) | Given parents in writing; 2024-08-15 | 3290.123(a)/3290.124(a) | Signed /Each child emergency contact person; 2024-08-15 | 3290.124(b)(6) | Insurance coverage information; 2024-08-15 | 3290.131(e) | Immunization record

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.