

<NA>

309 W BARR ST
MC DONALD, PA

4 Inspection Visits Since 2025 · 4 Findings

Most recent inspection: Apr 6, 2026

● 4 Important

Across 4 inspections since 2025, the issues cited most often were Comply with CPSL/CPSL Information; 2025-12-12 (2), Protective Outlet Covers 5 Yrs. or Less; 2026-04-06 (1), and On File at Facility; 2025-02-18 (1). None of the 4 findings were critical.

Inspection Visits

Apr 6, 2026 1 Finding ● 1 Important

● Protective Outlet Covers 5 Yrs. or Less; 2026-04-06

3270.65

3270.66(b) | Original container; 2026-04-06 | 3270.76 | Building Surfaces; 2026-04-06 | 3270.103 | Small Toys and Objects; 2026-04-06 | 3270.123(a)(3) | Services proceeded; 2026-04-06 | 3270.124(b)(4)/3270.182(3) | Written consent/Consent for emergency medical care required ; 2026-04-06 | 3270.124(b)(5) | Information re: special needs; 2026-04-06 | 3270.124(b)(6) | Insurance coverage information; 2026-04-06 | 3270.124(b)(7) | Name/address/phone release person; 2026-04-06 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2026-04-06 | 3270.131(b)(1)/3270.182(1) | Infant: updated health report every 6 months/Initial and sub; 2026-04-06 | 3270.131(b)(2) | Toddler/preschool: updated health report every 12 months; 2026-04-06 | 3270.135(a)(3) | Disposable diapers; 2026-04-06 | 3270.182(5) | Consent for administration of minor first-aid required prior; 2026-04-06 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2026-04-06 | 3270.31(e)/3270.192(2)(iii) | Age and Training/Exp, educ., training at facility; 2026-04-06 | 3270.131(a)/3270.182(1) | Health information/Initial and subsequent health reports

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

Dec 12, 2025 1 Finding ● 1 Important

● **Comply with CPSL/CPSL Information; 2025-12-12**

3270.32(a)/3270.192(4)

3270.51/3270.113(a) | Similar Age Level/Supervised at all times; 2025-12-12 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2025-12-12 | 3270.66(c) | Toxic use- no contamination; 2025-12-12 | 3270.113(a)(1) | Staff assigned to specific children; 2025-12-12 | 3270.94(a)(9) | Written record; 2025-12-12 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Jun 24, 2025 1 Finding ● 1 Important

● **Comply with CPSL/CPSL Information; 2025-06-24**

3270.32(a)/3270.192(4)

3270.102(a) | Clean and good repair; 2025-06-24 | 3270.123(a)(4) | Arrival/departure times; 2025-06-24 | 3270.124(b)(4)/3270.182(3) | Written consent/Consent for emergency medical care required ; 2025-06-24 | 3270.124(b)(6) | Insurance coverage information; 2025-06-24 | 3270.151(c)(2)/3270.192(3) | Mantoux TB/Health assessment, TB test; 2025-06-24 | 3270.181(d) | Dated signature affixed; 2025-06-24 | 3270.182(5) | Consent for administration of minor first-aid required prior; 2025-06-24 | 3270.94(a)(4) | Hypothetical locations; 2025-06-24 | 3270.131(a)/3270.182(1) | Health information/Initial and subsequent health reports

Feb 18, 2025 1 Finding ● 1 Important

● **On File at Facility; 2025-02-18**

3270.18(a)

3270.27(e) | Letter to parents; 2025-02-18 | 3270.76 | Building Surfaces; 2025-02-18 | 3270.27(a)(2) | Emergency plan

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.