

<NA>

3 N CHESTNUT ST
TRESCKOW, PA

2 Inspection Visits Since 2025 · 2 Findings

Most recent inspection: Dec 11, 2025

● 2 Important

Across 2 inspections since 2025, the issues cited most often were Protective Outlet Covers 5 Yrs. or Less (1) and Locked or Inaccessible - in Original Container; 2025-09-05 (1). None of the 2 findings were critical.

Inspection Visits

Dec 11, 2025 1 Finding ● 1 Important

● **Protective Outlet Covers 5 Yrs. or Less**
3290.63

Sep 5, 2025 1 Finding ● 1 Important

● **Locked or Inaccessible - in Original Container; 2025-09-05**
3290.64(a)

3290.123(a) | Signed; 2025-09-05 | 3290.123(a)(5) | Designated release persons; 2025-09-05 |
3290.123(a)(6)/3290.182(2) | Admission date/Application, admission, withdrawal dates; 2025-09-05 | 3290.124(b)(2)
| Physician name, address, phone; 2025-09-05 | 3290.124(b)(3) | Parent home/work address, phone; 2025-09-05
| 3290.124(b)(4)/3290.182(3) | Written consent/Consent for emergency medical care required ; 2025-09-05 |
3290.124(b)(6) | Insurance coverage information; 2025-09-05 | 3290.151(c)(3)/3290.151(c)(4) | Exam communicable
disease/Information re: medical problems; 2025-09-05 | 3290.182(5)/3290.182(6) | Consent for administration of minor
first-aid required prior; 2025-09-05 | 3290.31(a)(2) | Age and training

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.