

<NA>

201 S WINEBIDDLE ST
PITTSBURGH, PA

3 Inspection Visits Since 2023 - 3 Findings

Most recent inspection: Nov 17, 2025

● 3 Important

Across 3 inspections since 2023, the issues cited most often were General Health and Safety; 2025-11-17 (2) and Pertinent Laws & Regulations/General Health and Safety; 2024-11-01 (1). None of the 3 findings were critical.

Inspection Visits

Nov 17, 2025 1 Finding ● 1 Important

● **General Health and Safety; 2025-11-17**

3270.21

3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2025-11-17 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-11-17 | 3270.66(a) | Locked or inaccessible; 2025-11-17 | 3270.123(a)(5) | Designated release persons; 2025-11-17 | 3270.123(a)(6)/3270.182(2) | Admission date/Application, admission, withdrawal dates; 2025-11-17 | 3270.124(a) | Each child emergency contact person; 2025-11-17 | 3270.124(b)(3) | Parent home/work address, phone; 2025-11-17 | 3270.124(b)(7) | Name/address/phone release person; 2025-11-17 | 3270.182(8) | Copy of initial and subsequent agreements. Parent receives o; 2025-11-17 | 3270.192(2)(iv) | Transcript, diploma and letters; 2025-11-17 | 3270.27(a)(5) | Emergency plan; 2025-11-17 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2025-11-17 | 3270.131(a)/3270.182(1) | Health information/Initial and subsequent health reports

Nov 1, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Pertinent Laws & Regulations/General Health and Safety; 2024-11-01**

3270.14/3270.21

3270.21 | General Health and Safety; 2024-11-01 | 3270.31(e)(4)(i) | Age and Training; 2024-11-01 | 3270.31(f) | Health and Safety Training; 2024-11-01 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-11-01 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2024-11-01 | 3270.66(d) | Toxic plants not permitted; 2024-11-01 | 3270.124(b)(4)/3270.182(3) | Written consent/Consent for emergency medical care required ; 2024-11-01 | 3270.124(b)(7) | Name/address/phone release person; 2024-11-01 | 3270.131(e)/3270.131(e)(2)(i) | ACIP recommended immunization record /Exemption documentatio; 2024-11-01 | 3270.151(c)(2) | Mantoux TB; 2024-11-01 | 3270.182(5) | Consent for administration of minor first-aid required prior; 2024-11-01 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2024-11-01 | 3270.27(f) | Emergency plan; 2024-11-01 | 3270.131(a)/3270.182(1) | Health information/Initial and subsequent health reports

Nov 17, 2023 1 Finding ● 1 Important

● **General Health and Safety; 2023-11-17**

3270.21

3270.27(c) | Training regarding plan; 2023-11-17 | 3270.31(f) | Health and Safety Training; 2023-11-17 | 3270.32(a)/3270.192(2)(iii) | Comply with CPSL/Exp, educ., training at facility; 2023-11-17 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2023-11-17 | 3270.34(a)(6) | Staff evaluations; 2023-11-17 | 3270.66(a) | Locked or inaccessible; 2023-11-17 | 3270.72(d) | Above ground window opening restricted to 6"; 2023-11-17 | 3270.82(g) | Clean and good repair; 2023-11-17 | 3270.82(h) | Handwashing signs; 2023-11-17 | 3270.111(a) | Written plan; 2023-11-17 | 3270.123(a) | Signed; 2023-11-17 | 3270.123(a)(6) | Admission date; 2023-11-17 | 3270.124(b)(3) | Parent home/work address, phone; 2023-11-17 | 3270.124(b)(5) | Information re: special needs; 2023-11-17 | 3270.124(b)(7) | Name/address/phone release person; 2023-11-17 | 3270.151(a) | 12 months prior to service and every 24 months thereafter; 2023-11-17 | 3270.192(2)(ii) | Exp, educ., training prior to facility; 2023-11-17 | 3270.192(5) | Two written references; 2023-11-17 | 3270.31(f)(10) | Health and Safety Training - Pediatric First Aid and CPR; 2023-11-17 | 3270.94(a)(9) | Written record; 2023-11-17 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2023-11-17 | 3270.25(a) | Availability of certificate of compliance and applicable reg

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.