

<NA>

2545 DARLINGTON RD
BEAVER FALLS, PA

3 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Oct 23, 2025

● 3 Important

Across 3 inspections since 2023, the issues cited most often were Comply with CPSL/CPSL Information; 2025-10-23 (1), Plan Posted; 2024-10-25 (1), and Clean and Good Repair (1). None of the 3 findings were critical.

Inspection Visits

Oct 23, 2025 1 Finding ● 1 Important

● **Comply with CPSL/CPSL Information; 2025-10-23**

3270.32(a)/3270.192(4)

3270.66(a) | Locked or inaccessible; 2025-10-23 | 3270.76 | Building Surfaces; 2025-10-23 | 3270.82(h) | Handwashing signs; 2025-10-23 | 3270.103 | Small Toys and Objects; 2025-10-23 | 3270.106(f) | 2 feet apart; 2025-10-23 | 3270.113(a)(1) | Staff assigned to specific children; 2025-10-23 | 3270.123(a)(3) | Services proceeded; 2025-10-23 | 3270.124(b)(2) | Physician name, address, phone; 2025-10-23 | 3270.131(b)(2)/3270.181(c) | Toddler/preschool: updated health report every 12 months/Eme; 2025-10-23 | 3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy; 2025-10-23 | 3270.134(a) | Child's hands washed; 2025-10-23 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2025-10-23 | 3270.31(e) | Age and Training

Oct 25, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Plan Posted; 2024-10-25**

3270.27(d)

3270.27(e) | Letter to parents; 2024-10-25 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-10-25 | 3270.32(a) | Comply with CPSL; 2024-10-25 | 3270.36(b)(5)/3270.192(2)(ii) | HS/GED + 2 yrs/Exp, educ., training prior to facility; 2024-10-25 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2024-10-25 | 3270.75(c) | Has all items; 2024-10-25 | 3270.76 | Building Surfaces; 2024-10-25 | 3270.102(a) | Clean and good repair; 2024-10-25 | 3270.103 | Small Toys and Objects; 2024-10-25 | 3270.123(a)(1) | Amount of fee; 2024-10-25 | 3270.123(a)(3) | Services proceeded; 2024-10-25 | 3270.124(a) | Each child emergency contact person; 2024-10-25 | 3270.124(b)(2) | Physician name, address, phone; 2024-10-25 | 3270.124(b)(6) | Insurance coverage information; 2024-10-25 | 3270.124(b)(7) | Name/address/phone release person; 2024-10-25 | 3270.133(6) | Written consent; 2024-10-25 | 3270.133(7)(i) | Name of medication; 2024-10-25 | 3270.151(c)(1)/3270.192(3) | Physical examination/Health assessment, TB test; 2024-10-25 | 3270.192(5) | Two written references; 2024-10-25 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2024-10-25 | 3270.31(e) | Age and Training

Oct 12, 2023 1 Finding ● 1 Important

● **Clean and Good Repair**

3270.102(a)

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.