

<NA>

1001 S LEECHBURG HILL RD
LEECHBURG, PA

5 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Oct 23, 2025

● 5 Important

Across 5 inspections since 2023, the issues cited most often were Comply with CPSL/CPSL Information (2), Fire Safety - 1 Yr.; 2025-08-12 (1), and Restraints Prohibited (1). None of the 5 findings were critical.

Inspection Visits

Oct 23, 2025 1 Finding ● 1 Important

● **Comply with CPSL/CPSL Information**
3270.32(a)/3270.192(4)

Aug 12, 2025 1 Finding ● 1 Important

● **Fire Safety - 1 Yr.; 2025-08-12**
3270.31(e)(4)(ii)

3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-08-12 | 3270.32(a)/3270.192(2)(ii) | Comply with CPSL/Exp, educ., training prior to facility; 2025-08-12 | 3270.66(a)/3270.66(d) | Locked or inaccessible/Toxic plants not permitted; 2025-08-12 | 3270.66(b) | Original container; 2025-08-12 | 3270.66(e) | Arts and crafts non-toxic; 2025-08-12 | 3270.69(b) | 110° F or less; 2025-08-12 | 3270.76 | Building Surfaces; 2025-08-12 | 3270.102(a) | Clean and good repair; 2025-08-12 | 3270.106(a) | Clean, age appropriate; 2025-08-12 | 3270.31(f)(10) | Health and Safety Training - Pediatric First Aid and CPR

Aug 21, 2024 1 Finding ● 1 Important

● **Comply with CPSL/CPSL Information; 2024-08-21**
3270.32(a)/3270.192(4)

3270.34(a)(6) | Staff evaluations; 2024-08-21 | 3270.131(b)(2) | Toddler/preschool: updated health report every 12 months; 2024-08-21 | 3270.133(7) | Medication log; 2024-08-21 | 3270.151(a) | 12 months prior to service and every 24 months thereafter

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

Jul 25, 2024 1 Finding ● 1 Important

● **Restraints Prohibited**

3270.113(e)

Aug 14, 2023 1 Finding ● 1 Important

● **Training Regarding Plan; 2023-08-14**

3270.27(c)

3270.27(d) | Plan posted; 2023-08-14 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2023-08-14 | 3270.32(a)/3270.192(2)(iii) | Comply with CPSL/Exp, educ., training at facility; 2023-08-14 | 3270.34(a)(6) | Staff evaluations; 2023-08-14 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2023-08-14 | 3270.66(a) | Locked or inaccessible; 2023-08-14 | 3270.67(d) | Contaminated trash in closed plastic-lined receptacle; 2023-08-14 | 3270.76 | Building Surfaces; 2023-08-14 | 3270.102(a) | Clean and good repair; 2023-08-14 | 3270.105 | High Chairs; 2023-08-14 | 3270.123(a) | Signed; 2023-08-14 | 3270.124(b)(6) | Insurance coverage information; 2023-08-14 | 3270.131(a)(2) | Initial health report for young toddler no more than 6 month; 2023-08-14 | 3270.131(b)(1) | Infant: updated health report every 6 months; 2023-08-14 | 3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy; 2023-08-14 | 3270.133(7) | Medication log; 2023-08-14 | 3270.161(e) | Fresh fruit/vegetables refrigerated; 2023-08-14 | 3270.183(a) | Locked cabinet; 2023-08-14 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2023-08-14 | 3270.25(a) | Availability of certificate of compliance and applicable reg; 2023-08-14 | 3270.131(a) | Health information

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.