

<NA>

1020 S WASHINGTON ST
EVANS CITY, PA

3 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Nov 17, 2025

● 3 Important

Across 3 inspections since 2023, the issues cited most often were Services Proceeded (1), Above Ground Window Opening Restricted to 6"; 2024-11-12 (1), and Pertinent Laws & Regulations/General Health and Safety; 2023-11-01 (1). None of the 3 findings were critical.

Inspection Visits

Nov 17, 2025 1 Finding ● 1 Important

● **Services Proceeded**

3280.123(a)(3)

Nov 12, 2024 1 Finding ● 1 Important

● **Above Ground Window Opening Restricted to 6"; 2024-11-12**

3280.72(d)

3280.131(b)(2)/3280.182(1) | Toddler/preschool: updated health report every 12 months/Ini; 2024-11-12 | 3280.152 | Adult Hygiene

Nov 1, 2023 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2023-11-01**

3280.14/3280.20

3280.26(f) | Emergency plan; 2023-11-01 | 3280.32(a)/3280.192(4) | Comply with CPSL/CPSL information; 2023-11-01 | 3280.131(d)(5)/3280.131(e)(3) | Immunization record/Dismissal policy

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.