

<NA>

2199 A-B MILFORD RD
E STROUDSBURG, PA

5 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Sep 25, 2025

● 5 Important

Across 5 inspections since 2023, the issues cited most often were Comply with CPSL/CPSL Information; 2025-09-25 (2), Age and Training; 2024-09-27 (1), and Contaminated Trash in Closed Plastic-lined Receptacle; 2023-09-26 (1). None of the 5 findings were critical.

Inspection Visits

Sep 25, 2025 1 Finding ● 1 Important

● Comply with CPSL/CPSL Information; 2025-09-25

3270.32(a)/3270.192(4)

3270.106(j)/3270.119 | Prohibit items in crib/Infant sleep position; 2025-09-25 | 3270.131(b)(1) | Infant: updated health report every 6 months; 2025-09-25 | 3270.131(b)(2) | Toddler/preschool: updated health report every 12 months; 2025-09-25 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2025-09-25 | 3270.166(1) | Written statement

Sep 27, 2024 1 Finding ● 1 Important

● Age and Training; 2024-09-27

3270.31(e)(4)(i)

3270.66(a) | Locked or inaccessible; 2024-09-27 | 3270.104(a) | Clean, good repair, proper size; 2024-09-27 | 3270.123(a)(1) | Amount of fee; 2024-09-27 | 3270.123(a)(4) | Arrival/departure times; 2024-09-27 | 3270.124(b)(4)/3270.182(3) | Written consent/Consent for emergency medical care required ; 2024-09-27 | 3270.131(b)(2)/3270.182(1) | Toddler/preschool: updated health report every 12 months/Ini; 2024-09-27 | 3270.182(5) | Consent for administration of minor first-aid required prior; 2024-09-27 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Aug 9, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Comply with CPSL/CPSL Information; 2024-08-09**

3270.32(a)/3270.192(4)

3270.52 | Mixed Age Level; 2024-08-09 | 3270.52 | Mixed Age Level; 2024-08-09 | 3270.54(a) | Two facility persons present in facility; 2024-08-09 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2024-08-09 | 3270.66(a) | Locked or inaccessible; 2024-08-09 | 3270.76/3270.77(a) | Building Surfaces/No peeling paint or plaster; 2024-08-09 | 3270.104(a)/3270.106(a) | Clean, good repair, proper size/Clean, age appropriate; 2024-08-09 | 3270.113(a)(1)/3270.113(a)(2) | Staff assigned to specific children/Supervision on and facility

Sep 26, 2023 1 Finding ● 1 Important

● **Contaminated Trash in Closed Plastic-lined Receptacle; 2023-09-26**

3270.67(d)

3270.76 | Building Surfaces; 2023-09-26 | 3270.107 | Refrigerator; 2023-09-26 | 3270.124(c) | Each child care space; 2023-09-26 | 3270.131(b)(2) | Toddler/preschool: updated health report every 12 months; 2023-09-26 | 3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy; 2023-09-26 | 3270.135(a)(3) | Disposable diapers; 2023-09-26 | 3270.182(5) | Consent for administration of minor first-aid required prior; 2023-09-26 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff person

Jun 30, 2023 1 Finding ● 1 Important

● **No Physical Punishment**

3270.113(b)

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.