

<NA>

517 NORRIS ST
SAXTON, PA

4 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: May 14, 2026

● 4 Important

Across 4 inspections since 2024, the issues cited most often were System in compliance/Operator or Designated Staff Responsibi; 2026-05-14 (1), Training Regarding Plan; 2026-04-06 (1), and Updated Toddler/preschool Health Report: Every 12 Months; 2025-04-04 (1). None of the 4 findings were critical.

Inspection Visits

May 14, 2026 1 Finding ● 1 Important

● **System in compliance/Operator or Designated Staff Responsibi; 2026-05-14**

3290.95(a)/3290.95(b)

3290.24(f) | Emergency plan

Apr 6, 2026 1 Finding ● 1 Important

● **Training Regarding Plan; 2026-04-06**

3290.24(c)

3290.32(a)/3290.192(3) | Comply with CPSL/CPSL information; 2026-04-06 | 3290.64(c) | Toxic plants not permitted; 2026-04-06 | 3290.102(a) | Clean and good repair; 2026-04-06 | 3290.123(a)(4) | Arrival/departure times; 2026-04-06 | 3290.123(a)(6)/3290.182(8) | Admission date/Copy of initial and subsequent agreements. Pa; 2026-04-06 | 3290.124(b)(7) | Name/address/phone release person; 2026-04-06 | 3290.124(e)/3290.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2026-04-06 | 3290.131(d)(5)/3290.131(e)(3) | Immunization record/Dismissal policy; 2026-04-06 | 3290.151(a)(2) | 12 months prior to service and every 24 months thereafter; 2026-04-06 | 3290.95(a)/3290.95(b) | System in compliance/Operator or designated staff responsibi; 2026-04-06 | 3290.24(f) | Emergency plan

Apr 4, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Updated Toddler/preschool Health Report: Every 12 Months; 2025-04-04**

3290.131(b)(2)

3290.133(7) | Medication log; 2025-04-04 | 3290.151(a)(2) | 12 months prior to service and every 24 months thereafter;

2025-04-04 | 3290.95(a)/3290.95(b) | System in compliance/Operator or designated staff responsibi; 2025-04-04 |

3290.24(d) | Emergency plan

Apr 1, 2024 1 Finding ● 1 Important

● **Protective Outlet Covers 5 Yrs. or Less; 2024-04-01**

3290.63

3290.102(a) | Clean and good repair; 2024-04-01 | 3290.181(c)/3290.181(d) | Emergency info/agreement updated

6 mos/Dated signature affix; 2024-04-01 | 3290.94(a)(5) | Evacuation routes posted; 2024-04-01 | 3290.22(a) |

Availability of certificate of compliance and applicable reg; 2024-04-01 | 3290.24(d) | Emergency plan

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.