

<NA>

708 N JORDAN ST
ALLENTOWN, PA

3 Inspection Visits Since 2023 - 3 Findings

Most recent inspection: Oct 21, 2025

● 3 Important

Across 3 inspections since 2023, the issues cited most often were Comply with CPSL/Required Training; 2025-10-21 (1), Services Provided; 2024-10-25 (1), and General Health and Safety; 2023-10-23 (1). None of the 3 findings were critical.

Inspection Visits

Oct 21, 2025 1 Finding ● 1 Important

● **Comply with CPSL/Required Training; 2025-10-21**

3290.32(a)/3290.192(4)

3290.102(f)/3290.105(a) | No hazardous toys/equipment/Clean, age appropriate; 2025-10-21 | 3290.133(3) | Name on bottle; 2025-10-21 | 3290.166(4) | Bottles labeled; 2025-10-21 | 3290.182(3)/3290.182(5) | Consent for emergency medical care required prior to admissi; 2025-10-21 | 3290.11(e)(7) | Emergency preparedness; 2025-10-21 | 3290.21(f) | Photo ID

Oct 25, 2024 1 Finding ● 1 Important

● **Services Provided; 2024-10-25**

3290.123(a)(3)

3290.123(a)(5) | Designated release persons

Oct 23, 2023 1 Finding ● 1 Important

● **General Health and Safety; 2023-10-23**

3290.18

3290.64(c) | Toxic plants not permitted; 2023-10-23 | 3290.73(c)/3290.176 | Has all items/Transportation First Aid Kit; 2023-10-23 | 3290.95(a)/3290.95(b) | System in compliance/Operator or designated staff responsibi; 2023-10-23 | 3290.22(a) | Availability of certificate of compliance and applicable reg; 2023-10-23 | 3290.24(d) | Emergency plan

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.