

<NA>

10 S 8TH ST
YOUNGWOOD, PA

4 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Feb 23, 2026

● 4 Important

Across 4 inspections since 2024, the issues cited most often were Pertinent Laws & Regulations/General Health and Safety; 2026-02-23 (2), Comply with CPSL/CPSL Information; 2025-08-12 (1), and General Health and Safety; 2024-02-13 (1). None of the 4 findings were critical.

Inspection Visits

Feb 23, 2026 1 Finding ● 1 Important

● Pertinent Laws & Regulations/General Health and Safety; 2026-02-23

3270.14/3270.21

3270.31(f) | Health and Safety Training; 2026-02-23 | 3270.32(a) | Comply with CPSL; 2026-02-23 | 3270.34(a)(6) | Staff evaluations; 2026-02-23 | 3270.76 | Building Surfaces; 2026-02-23 | 3270.77(a) | No peeling paint or plaster; 2026-02-23 | 3270.82(h) | Handwashing signs; 2026-02-23 | 3270.102(a) | Clean and good repair; 2026-02-23 | 3270.124(b)(3) | Parent home/work address, phone; 2026-02-23 | 3270.124(b)(4)/3270.182(3) | Written consent/Consent for emergency medical care required ; 2026-02-23 | 3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy; 2026-02-23 | 3270.133(3) | Name on bottle; 2026-02-23 | 3270.133(4) | Locked; 2026-02-23 | 3270.134(a) | Child's hands washed; 2026-02-23 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2026-02-23 | 3270.151(c)(2) | Mantoux TB; 2026-02-23 | 3270.151(c)(3) | Exam communicable disease; 2026-02-23 | 3270.182(5) | Consent for administration of minor first-aid required prior; 2026-02-23 | 3270.27(a)(6) | Emergency plan; 2026-02-23 | 3270.31(e) | Age and Training; 2026-02-23 | 3270.131(a)/3270.131(e) | Health information/ACIP recommended immunization record

Aug 12, 2025 1 Finding ● 1 Important

● Comply with CPSL/CPSL Information; 2025-08-12

3270.32(a)/3270.192(4)

3270.65 | Protective Outlet Covers 5 yrs. or less; 2025-08-12 | 3270.66(a) | Locked or inaccessible; 2025-08-12 | 3270.67(d) | Contaminated trash in closed plastic-lined receptacle; 2025-08-12 | 3270.76 | Building Surfaces; 2025-08-12 | 3270.77(a) | No peeling paint or plaster; 2025-08-12 | 3270.102(a) | Clean and good repair; 2025-08-12 | 3270.102(a)/3270.103 | Clean and good repair/Small Toys and Objects; 2025-08-12 | 3270.94(a)(1) | Every 60 days; 2025-08-12 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

Feb 18, 2025 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2025-02-18**

3270.14/3270.21

3270.27(b) | Plan reviewed/updated annually; 2025-02-18 | 3270.27(c) | Training regarding plan; 2025-02-18 | 3270.31(e)(4)(i)/3270.192(2)(iii) | Age and Training/Exp, educ., training at facility; 2025-02-18 | 3270.31(e)(4)(ii)/3270.192(2)(iii) | Fire safety - 1 yr./Exp, educ., training at facility; 2025-02-18 | 3270.31(f) | Health and Safety Training; 2025-02-18 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-02-18 | 3270.35(b)(3)/3270.192(2)(iii) | Associate's + 2 yrs/Exp, educ., training at facility; 2025-02-18 | 3270.36(b)(5)/3270.192(2)(iii) | HS/GED + 2 yrs/Exp, educ., training at facility; 2025-02-18 | 3270.67(d) | Contaminated trash in closed plastic-lined receptacle; 2025-02-18 | 3270.102(a) | Clean and good repair; 2025-02-18 | 3270.123(b)/3270.182(8) | Parent receives original/Copy of initial and subsequent agre; 2025-02-18 | 3270.124(b)(7) | Name/address/phone release person; 2025-02-18 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2025-02-18 | 3270.131(b)(2)/3270.182(1) | Toddler/preschool: updated health report every 12 months/Ini; 2025-02-18 | 3270.131(d)(5)/3270.131(e)(1) | Immunization record/Exemption documentation from parent/guar; 2025-02-18 | 3270.131(d)(7) | Free from contagious/communicable disease; 2025-02-18 | 3270.133(5) | Original label; 2025-02-18 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2025-02-18 | 3270.151(c)(3)/3270.192(3) | Exam communicable disease/Health assessment, TB test; 2025-02-18 | 3270.151(c)(5)/3270.192(3) | Physician/CRNP assessment/Health assessment, TB test; 2025-02-18 | 3270.192(5) | Two written references; 2025-02-18 | 3270.27(a)(6) | Emergency plan; 2025-02-18 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Feb 13, 2024 1 Finding ● 1 Important

● **General Health and Safety; 2024-02-13**

3270.21

3270.27(c) | Training regarding plan; 2024-02-13 | 3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2024-02-13 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-02-13 | 3270.66(a) | Locked or inaccessible; 2024-02-13 | 3270.76 | Building Surfaces; 2024-02-13 | 3270.102(a) | Clean and good repair; 2024-02-13 | 3270.124(b)(2) | Physician name, address, phone; 2024-02-13 | 3270.131(b)(2)/3270.182(1) | Toddler/preschool: updated health report every 12 months/Ini; 2024-02-13 | 3270.151(a) | 12 months prior to service and every 24 months thereafter; 2024-02-13 | 3270.151(c)(1)/3270.192(3) | Physical examination/Health assessment, TB test; 2024-02-13 | 3270.151(c)(2)/3270.192(3) | Mantoux TB/Health assessment, TB test; 2024-02-13 | 3270.165 | Menus; 2024-02-13 | 3270.131(a) | Health information

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.