

<NA>

189 EXPEDITE RD
TWIN ROCKS, PA

3 Inspection Visits Since 2024 · 3 Findings

Most recent inspection: Feb 23, 2026

● 3 Important

Across 3 inspections since 2024, the issues cited most often were Building Surfaces; 2025-02-26 (2) and HS/GED + 2 yrs/Exp, Educ., Training Prior to Facility; 2026-02-23 (1). None of the 3 findings were critical.

Inspection Visits

Feb 23, 2026 1 Finding ● 1 Important

● **HS/GED + 2 yrs/Exp, Educ., Training Prior to Facility; 2026-02-23**

3280.34(b)(5)/3280.192(2)(ii)

3280.135(a)(3) | Disposable diapers; 2026-02-23 | 3280.94(a)(9) | Written record

Feb 26, 2025 1 Finding ● 1 Important

● **Building Surfaces; 2025-02-26**

3280.76

3280.92(a) | Portable space heaters; 2025-02-26 | 3280.123(a)(3) | Services proceeded; 2025-02-26 | 3280.124(b)(6) | Insurance coverage information; 2025-02-26 | 3280.124(b)(7) | Name/address/phone release person

Feb 13, 2024 1 Finding ● 1 Important

● **Building Surfaces; 2024-02-13**

3280.76

3280.95(a)/3280.95(b) | FIRE DETECTION/Staff responsibility

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.