

<NA>

3540 WASHINGTON RD
CANONSBURG, PA

3 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Oct 9, 2025

● 3 Important

Across 3 inspections since 2023, the issues cited most often were HS/GED + 2 yrs/Exp, Educ., Training Prior to Facility; 2025-10-09 (1), Pertinent Laws & Regulations/General Health and Safety; 2024-10-21 (1), and Training Regarding Plan; 2023-10-03 (1). None of the 3 findings were critical.

Inspection Visits

Oct 9, 2025 1 Finding ● 1 Important

● **HS/GED + 2 yrs/Exp, Educ., Training Prior to Facility; 2025-10-09**

3270.36(b)(5)/3270.192(2)(ii)

3270.65 | Protective Outlet Covers 5 yrs. or less; 2025-10-09 | 3270.69(b) | 110° F or less; 2025-10-09 | 3270.76 | Building Surfaces; 2025-10-09 | 3270.103 | Small Toys and Objects; 2025-10-09 | 3270.104(a) | Clean, good repair, proper size; 2025-10-09 | 3270.123(a)(6) | Admission date; 2025-10-09 | 3270.151(a) | 12 months prior to service and every 24 months thereafter; 2025-10-09 | 3270.31(f)(10) | Health and Safety Training - Pediatric First Aid and CPR; 2025-10-09 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Oct 21, 2024 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2024-10-21**

3270.14/3270.21

3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-10-21 | 3270.66(e) | Arts and crafts non-toxic; 2024-10-21 | 3270.82(h) | Handwashing signs; 2024-10-21 | 3270.104(a) | Clean, good repair, proper size; 2024-10-21 | 3270.123(a)(6)/3270.182(2) | Admission date/Application, admission, withdrawal dates; 2024-10-21 | 3270.124(b)(6) | Insurance coverage information; 2024-10-21 | 3270.131(b)(2)/3270.182(1) | Toddler/preschool: updated health report every 12 months/Ini; 2024-10-21 | 3270.131(d)(5) | Immunization record; 2024-10-21 | 3270.131(e)(2)(i) | Exemption documentation from parent/guardian; 2024-10-21 | 3270.133(1) | Original container; 2024-10-21 | 3270.133(7)(v) | Date of administration; 2024-10-21 | 3270.27(a)(5) | Emergency plan

Oct 3, 2023 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Training Regarding Plan; 2023-10-03**

3270.27(c)

3270.76 | Building Surfaces; 2023-10-03 | 3270.77(a) | No peeling paint or plaster; 2023-10-03 | 3270.82(g) | Clean and good repair; 2023-10-03 | 3270.102(a) | Clean and good repair; 2023-10-03 | 3270.107 | Refrigerator; 2023-10-03 | 3270.133(1) | Original container; 2023-10-03 | 3270.151(a) | 12 months prior to service and every 24 months thereafter

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.