

<NA>

80 WOOD ST
WILKES BARRE, PA

4 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Sep 8, 2025

● 4 Important

Across 4 inspections since 2023, the issues cited most often were Comply with CPSL/CPSL Information; 2025-09-08 (2), Protective Outlet Covers 5 Yrs. or Less; 2025-04-28 (1), and Clean and Good Repair; 2023-09-12 (1). None of the 4 findings were critical.

Inspection Visits

Sep 8, 2025 1 Finding ● 1 Important

● **Comply with CPSL/CPSL Information; 2025-09-08**

3270.32(a)/3270.192(4)

3270.66(a) | Locked or inaccessible; 2025-09-08 | 3270.123(a)(2)/3270.123(a)(6) | Date fee to be paid/Admission date; 2025-09-08 | 3270.124(b)(3) | Parent home/work address, phone; 2025-09-08 | 3270.131(d)(7) | Free from contagious/communicable disease; 2025-09-08 | 3270.133(5) | Original label

Apr 28, 2025 1 Finding ● 1 Important

● **Protective Outlet Covers 5 Yrs. or Less; 2025-04-28**

3270.65

3270.76/3270.102(a) | Building Surfaces/Clean and good repair; 2025-04-28 | 3270.151(a) | 12 months prior to service and every 24 months thereafter

Sep 9, 2024 1 Finding ● 1 Important

● **Comply with CPSL/CPSL Information; 2024-09-09**

3270.32(a)/3270.192(4)

3270.66(a)/3270.66(d) | Locked or inaccessible/Toxic plants not permitted; 2024-09-09 | 3270.76/3270.102(a) | Building Surfaces/Clean and good repair; 2024-09-09 | 3270.123(a)(4)/3270.123(a)(6) | Arrival/departure times/Admission date; 2024-09-09 | 3270.124(b)(2)/3270.124(b)(3) | Physician name, address, phone/Parent home/work address, phone; 2024-09-09 | 3270.133(4) | Locked; 2024-09-09 | 3270.161(d) | Potentially hazardous food refrigerated; 2024-09-09 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff person

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

Sep 12, 2023 1 Finding ● 1 Important

● **Clean and Good Repair; 2023-09-12**

3270.102(a)

3270.107 | Refrigerator; 2023-09-12 | 3270.124(b)(7) | Name/address/phone release person; 2023-09-12 |
3270.124(e) | Written emergency plan posted

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.