

<NA>
425 IRON ST
EASTON, PA

3 Inspection Visits Since 2025 - 3 Findings

Most recent inspection: Dec 1, 2025

● 3 Important

Across 3 inspections since 2025, the issues cited most often were In Child Care Spaces; 2025-12-01 (1), Two Facility Persons Present in Facility; 2025-08-25 (1), and No Peeling Paint or Plaster; 2025-05-02 (1). None of the 3 findings were critical.

Inspection Visits

Dec 1, 2025 1 Finding ● 1 Important

● **In Child Care Spaces; 2025-12-01**

3270.75(a)

3270.106(a) | Clean, age appropriate

Aug 25, 2025 1 Finding ● 1 Important

● **Two Facility Persons Present in Facility; 2025-08-25**

3270.54(a)

3270.75(b) | Inaccessible to children; 2025-08-25 | 3270.82(h)/3270.82(i) | Handwashing signs/Lidded waste receptacles; 2025-08-25 | 3270.124(b)(6) | Insurance coverage information; 2025-08-25 | 3270.124(b)(7) | Name/address/phone release person; 2025-08-25 | 3270.135(a)(3) | Disposable diapers; 2025-08-25 | 3270.182(3)/3270.182(5) | Consent for emergency medical care required prior to admissi

May 2, 2025 1 Finding ● 1 Important

● **No Peeling Paint or Plaster; 2025-05-02**

3270.77(a)

3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.