

<NA>

944 REINOEHL ST  
LEBANON, PA

### 3 Inspection Visits Since 2024 - 3 Findings

Most recent inspection: Jan 12, 2026

● 3 Important

Across 3 inspections since 2024, the issues cited most often were Locked or Inaccessible - in Original Container; 2026-01-12 (2) and Comply with CPSL; 2025-01-27 (1). None of the 3 findings were critical.

### Inspection Visits

**Jan 12, 2026** 1 Finding ● 1 Important

● **Locked or Inaccessible - in Original Container; 2026-01-12**

3290.64(a)

3290.131(d)(5) | Immunization record; 2026-01-12 | 3290.24(d) | Emergency plan

**Jan 27, 2025** 1 Finding ● 1 Important

● **Comply with CPSL; 2025-01-27**

3290.32(a)

3290.32(a)/3290.192(3) | Comply with CPSL/CPSL information; 2025-01-27 | 3290.124(b)(6) | Insurance coverage information; 2025-01-27 | 3290.182(5) | Consent for administration of minor first-aid required prior

**Feb 14, 2024** 1 Finding ● 1 Important

● **Locked or Inaccessible - in Original Container; 2024-02-14**

3290.64(a)

3290.74(a) | Requirements; 2024-02-14 | 3290.134(a) | Child's hands washed; 2024-02-14 | 3290.95(b) | Operator or designated staff responsibility

#### About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.