

<NA>

107 N 4TH ST # 107
CLEARFIELD, PA

3 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Jun 26, 2025

● 3 Important

Across 3 inspections since 2023, the issues cited most often were Pertinent Laws & Regulations/General Health and Safety; 2024-06-17 (2) and Emergency Plan (1). None of the 3 findings were critical.

Inspection Visits

Jun 26, 2025 1 Finding ● 1 Important

● **Emergency Plan**
3280.26(a)(5)

Jun 17, 2024 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2024-06-17**
3280.14/3280.20

3280.75(c) | Has all items; 2024-06-17 | 3280.102(a) | Clean and good repair; 2024-06-17 | 3280.105(a) | Clean, age appropriate; 2024-06-17 | 3280.124(b)(4)/3280.182(3) | Written consent/Consent for emergency medical care required ; 2024-06-17 | 3280.124(b)(5) | Information re: special needs; 2024-06-17 | 3280.124(b)(7) | Name/address/phone release person; 2024-06-17 | 3280.95(a)/3280.95(b) | FIRE DETECTION/Staff responsibility

Jun 21, 2023 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Pertinent Laws & Regulations/General Health and Safety; 2023-06-21**

3280.14/3280.20

3280.32(a) | Comply with CPSL; 2023-06-21 | 3280.32(a)/3280.192(4) | Comply with CPSL/CPSL information; 2023-06-21 | 3280.91(a) | Stairs, exits, etc. unobstructed; 2023-06-21 | 3280.123(a)(5)/3280.123(a)(6) | Designated release persons/Admission date; 2023-06-21 | 3280.124(b)(6) | Insurance coverage information; 2023-06-21 | 3280.124(f)/3280.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo; 2023-06-21 | 3280.131(d)(5)/3280.131(e)(3) | Immunization record/Dismissal policy; 2023-06-21 | 3280.133(6)/3280.133(7) | Written consent/Medication log; 2023-06-21 | 3280.151(a) | 12 months prior to service and every 24 months thereafter; 2023-06-21 | 3280.151(a)/3280.151(c)(2) | 12 months prior to service and every 24 months thereafter/Ma; 2023-06-21 | 3280.192(2)(ii) | Exp, educ., training prior to facility; 2023-06-21 | 3280.192(5) | Two written references; 2023-06-21 | 3280.61(h) | Measurement and use of indoor child care space; 2023-06-21 | 3280.95(a)/3280.95(b) | FIRE DETECTION/Staff responsibility

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.