

<NA>

175 S MAIN RD
MOUNTAIN TOP, PA

5 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: May 8, 2026

● 5 Important

Across 5 inspections since 2023, the issues cited most often were No Peeling Paint or Plaster; 2026-05-08 (1), Supervised at All Times /Staff Assigned to Specific Children; 2025-07-30 (1), and Comply with CPSL/CPSL Information (1). None of the 5 findings were critical.

Inspection Visits

May 8, 2026 1 Finding ● 1 Important

● No Peeling Paint or Plaster; 2026-05-08

3270.77(a)

3270.82(g) | Clean and good repair; 2026-05-08 | 3270.131(c) | Completed or signed by physician, PA, or CRNP

Jul 30, 2025 1 Finding ● 1 Important

● Supervised at All Times /Staff Assigned to Specific Children; 2025-07-30

3270.113(a)/3270.113(a)(1)

3270.115(a)(6) | Lifeguard training/supervision

May 16, 2025 1 Finding ● 1 Important

● Comply with CPSL/CPSL Information

3270.32(a)/3270.192(4)

Jun 7, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Pertinent Laws & Regulations/General Health and Safety; 2024-06-07**

3270.14/3270.21

3270.27(c) | Training regarding plan; 2024-06-07 | 3270.31(e)(4)(i) | Age and Training; 2024-06-07 | 3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2024-06-07 | 3270.31(e)(4)(iv)/3270.115(a)(8) | Water safety/Included in ratio/annual training; 2024-06-07 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-06-07 | 3270.34(a)(6) | Staff evaluations; 2024-06-07 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2024-06-07 | 3270.74 | Emergency Numbers Posted; 2024-06-07 | 3270.76 | Building Surfaces; 2024-06-07 | 3270.77(a) | No peeling paint or plaster; 2024-06-07 | 3270.102(a) | Clean and good repair; 2024-06-07 | 3270.102(e) | Infant/toddler - no material less than 1 inch; 2024-06-07 | 3270.111(a)/3270.111(b) | Written plan/Posted in group space; 2024-06-07 | 3270.113(a)(1) | Staff assigned to specific children; 2024-06-07 | 3270.113(a)(1) | Staff assigned to specific children; 2024-06-07 | 3270.124(b)(7) | Name/address/phone release person; 2024-06-07 | 3270.124(e) | Written emergency plan posted; 2024-06-07 | 3270.151(c)(1)/3270.192(3) | Physical examination/Health assessment, TB test; 2024-06-07 | 3270.165 | Menus; 2024-06-07 | 3270.171(c) | Safe routes posted; 2024-06-07 | 3270.178 | Transportation First Aid Kit; 2024-06-07 | 3270.31(e) | Age and Training

Nov 6, 2023 1 Finding ● 1 Important

● **Devices Must Be compliant/Director or Designated Staff Perso**

3270.95(a)/3270.95(b)

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.