

<NA>

103 HOPWOOD FAIRCHANCE RD
HOPWOOD, PA

5 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Dec 15, 2025

● 5 Important

Across 5 inspections since 2023, the issues cited most often were Pertinent Laws & Regulations/General Health and Safety; 2025-08-06 (2), Promote Development; 2025-12-15 (1), and Reports of Accidents, Injuries and Illnesses. Original Repor (1). None of the 5 findings were critical.

Inspection Visits

Dec 15, 2025 1 Finding ● 1 Important

● **Promote Development; 2025-12-15**

3270.111(c)

3270.113(b) | No physical punishment

Oct 20, 2025 1 Finding ● 1 Important

● **Reports of Accidents, Injuries and Illnesses. Original Repor**

3270.182(7)

Aug 6, 2025 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2025-08-06**

3270.14/3270.21

3270.21 | General Health and Safety; 2025-08-06 | 3270.31(e)(4)(ii)/3270.192(2)(iii) | Fire safety - 1 yr./Exp, educ., training at facility; 2025-08-06 | 3270.66(a) | Locked or inaccessible; 2025-08-06 | 3270.66(b) | Original container; 2025-08-06 | 3270.66(d) | Toxic plants not permitted; 2025-08-06 | 3270.76 | Building Surfaces; 2025-08-06 | 3270.102(a) | Clean and good repair; 2025-08-06 | 3270.107 | Refrigerator; 2025-08-06 | 3270.123(a)(3) | Services proceeded; 2025-08-06 | 3270.124(f)/3270.181(c) | Updated every 6 months/Emergency info/agreement updated 6 mo

Aug 13, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **General Health and Safety; 2024-08-13**

3270.21

3270.27(e) | Letter to parents; 2024-08-13 | 3270.31(e)(4)(i)/3270.192(2)(iii) | Age and Training/Exp, educ., training at facility; 2024-08-13 | 3270.31(e)(4)(ii)/3270.192(2)(iii) | Fire safety - 1 yr./Exp, educ., training at facility; 2024-08-13 | 3270.31(f) | Health and Safety Training; 2024-08-13 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-08-13 | 3270.33(a)/3270.192(2)(ii) | Each staff person meets quals/Exp, educ., training prior to ; 2024-08-13 | 3270.76 | Building Surfaces; 2024-08-13 | 3270.82(h) | Handwashing signs; 2024-08-13 | 3270.101(a) | Age appropriate; 2024-08-13 | 3270.102(a) | Clean and good repair; 2024-08-13 | 3270.103/3270.104(a) | Small Toys and Objects/Clean, good repair, proper size; 2024-08-13 | 3270.124(b)(3) | Parent home/work address, phone; 2024-08-13 | 3270.151(c)(2)/3270.192(3) | Mantoux TB/Health assessment, TB test

Aug 22, 2023 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2023-08-22**

3270.14/3270.21

3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2023-08-22 | 3270.75(c) | Has all items; 2023-08-22 | 3270.124(c) | Each child care space; 2023-08-22 | 3270.133(1)/3270.133(2) | Original container/Written instructions; 2023-08-22 | 3270.133(5) | Original label

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.