

<NA>

200 SOUTHERN AVE
PITTSBURGH, PA

3 Inspection Visits Since 2024 - 3 Findings

Most recent inspection: Feb 12, 2026

● 3 Important

Across 3 inspections since 2024, the issues cited most often were Pertinent Laws & Regulations/General Health and Safety; 2026-02-12 (1), General Health and Safety; 2025-02-11 (1), and Building Surfaces; 2024-02-28 (1). None of the 3 findings were critical.

Inspection Visits

Feb 12, 2026 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2026-02-12**

3270.14/3270.21

3270.31(e)(4)(i) | Age and Training; 2026-02-12 | 3270.32(a) | Comply with CPSL; 2026-02-12 | 3270.75(a) | In child care spaces; 2026-02-12 | 3270.75(b) | Inaccessible to children; 2026-02-12 | 3270.124(e) | Written emergency plan posted; 2026-02-12 | 3270.131(e)(1)/3270.131(e)(3) | Exemption documentation from parent/guardian/Dismissal polic; 2026-02-12 | 3270.133(6) | Written consent; 2026-02-12 | 3270.151(a) | 12 months prior to service and every 24 months thereafter; 2026-02-12 | 3270.151(c)(2) | Mantoux TB; 2026-02-12 | 3270.181(c) | Emergency info/agreement updated 6 mos; 2026-02-12 | 3270.192(5) | Two written references

Feb 11, 2025 1 Finding ● 1 Important

● **General Health and Safety; 2025-02-11**

3270.21

3270.31(f) | Health and Safety Training; 2025-02-11 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-02-11 | 3270.33(a)/3270.192(2)(ii) | Each staff person meets quals/Exp, educ., training prior to ; 2025-02-11 | 3270.77(a) | No peeling paint or plaster; 2025-02-11 | 3270.131(b)(2)/3270.182(1) | Toddler/preschool: updated health report every 12 months/Ini; 2025-02-11 | 3270.133(5) | Original label; 2025-02-11 | 3270.151(a)/3270.192(3) | 12 months prior to service and every 24 months thereafter/He; 2025-02-11 | 3270.161(d) | Potentially hazardous food re-refrigerated; 2025-02-11 | 3270.181(c) | Emergency info/agreement updated 6 mos; 2025-02-11 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

Feb 28, 2024 1 Finding 1 Important

● **Building Surfaces; 2024-02-28**

3270.76

3270.82(h) | Handwashing signs; 2024-02-28 | 3270.111(b) | Posted in group space; 2024-02-28 | 3270.124(b)(2) | Physician name, address, phone; 2024-02-28 | 3270.124(b)(3) | Parent home/work address, phone; 2024-02-28 | 3270.124(b)(7) | Name/address/phone release person; 2024-02-28 | 3270.124(e) | Written emergency plan posted; 2024-02-28 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.