

<NA>

145 W 18TH ST  
ERIE, PA

### 3 Inspection Visits Since 2024 - 3 Findings

Most recent inspection: Apr 4, 2025

● 3 Important

Across 3 inspections since 2024, the issues cited most often were On File at Facility; 2025-04-04 (1), Pertinent Laws & Regulations/General Health and Safety; 2024-06-21 (1), and Comply with CPSL/CPSL Information; 2024-03-25 (1). None of the 3 findings were critical.

### Inspection Visits

**Apr 4, 2025** 1 Finding ● 1 Important

● **On File at Facility; 2025-04-04**

3270.18(a)

3270.27(b) | Plan reviewed/updated annually; 2025-04-04 | 3270.27(c) | Training regarding plan; 2025-04-04 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-04-04 | 3270.52 | Mixed Age Level; 2025-04-04 | 3270.54(a) | Two facility persons present in facility; 2025-04-04 | 3270.77(a) | No peeling paint or plaster; 2025-04-04 | 3270.82(h) | Handwashing signs; 2025-04-04 | 3270.106(a) | Clean, age appropriate; 2025-04-04 | 3270.113(a) | Supervised at all times; 2025-04-04 | 3270.113(a)(1) | Staff assigned to specific children; 2025-04-04 | 3270.123(a)(1) | Amount of fee; 2025-04-04 | 3270.123(b) | Parent receives original; 2025-04-04 | 3270.124(b)(7) | Name/address/phone release person; 2025-04-04 | 3270.94(a)(1) | Every 60 days; 2025-04-04 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

**Jun 21, 2024** 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2024-06-21**

3270.14/3270.21

3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-06-21 | 3270.33(a)/3270.192(2)(ii) | Each staff person meets quals/Exp, educ., training prior to ; 2024-06-21 | 3270.66(a) | Locked or inaccessible; 2024-06-21 | 3270.74 | Emergency Numbers Posted; 2024-06-21 | 3270.75(c) | Has all items; 2024-06-21 | 3270.124(b)(7) | Name/address/phone release person; 2024-06-21 | 3270.124(e) | Written emergency plan posted; 2024-06-21 | 3270.182(3) | Consent for emergency medical care required prior to admissi; 2024-06-21 | 3270.182(5) | Consent for administration of minor first-aid required prior; 2024-06-21 | 3270.183(a) | Locked cabinet; 2024-06-21 | 3270.193(a) | Confidential; stored in locked cabinet; 2024-06-21 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

#### About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

**Mar 25, 2024** 1 Finding ● 1 Important

● **Comply with CPSL/CPSL Information; 2024-03-25**

3270.32(a)/3270.192(4)

3270.34(b)(3)/3270.192(2)(ii) | Associate's + 3 yrs/Exp, educ., training prior to facility; 2024-03-25 | 3270.66(a) | Locked or inaccessible; 2024-03-25 | 3270.73 | Telephone; 2024-03-25 | 3270.75(a) | In child care spaces; 2024-03-25 | 3270.82(h) | Handwashing signs; 2024-03-25 | 3270.107 | Refrigerator; 2024-03-25 | 3270.94(a)(5) | Evacuation routes posted; 2024-03-25 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

**About this report**

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.