

<NA>

176 W GORDON ST
ALLENTOWN, PA

3 Inspection Visits Since 2025 - 3 Findings

Most recent inspection: Jan 20, 2026

● 3 Important

Across 3 inspections since 2025, the issues cited most often were No Lead paint/Not Present During Removal (1), Unsafe Areas in Outdoor Space; 2025-09-16 (1), and Stairs, Exits, Etc. Unobstructed; 2025-05-05 (1). None of the 3 findings were critical.

Inspection Visits

Jan 20, 2026 1 Finding ● 1 Important

● **No Lead paint/Not Present During Removal**
3290.75(b)/3290.75(c)

Sep 16, 2025 1 Finding ● 1 Important

● **Unsafe Areas in Outdoor Space; 2025-09-16**
3290.61

3290.64(a) | Locked or inaccessible - in original container; 2025-09-16 | 3290.65(a) | Trash removed once a day; 2025-09-16 | 3290.74(a) | Requirements; 2025-09-16 | 3290.102(a) | Clean and good repair; 2025-09-16 | 3290.103 | Small Toys and Objects; 2025-09-16 | 3290.161(a) | Wholesome; 2025-09-16 | 3290.161(b) | Food served discarded; 2025-09-16 | 3290.94(a)(1) | Every 60 days; 2025-09-16 | 3290.95(a)/3290.95(b) | System in compliance/Operator or designated staff responsibi

May 5, 2025 1 Finding ● 1 Important

● **Stairs, Exits, Etc. Unobstructed; 2025-05-05**
3290.91(a)

3290.102(a) | Clean and good repair; 2025-05-05 | 3290.95(a)/3290.95(b) | System in compliance/Operator or designated staff responsibi

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.